DOCUMENT RESUME

ED 290 943 CE 049 649

AUTHOR Dismukes, Robert

TITLE U.S. Rice Farms. A Regional Comparison. Staff Report

No. AGES880119.

INSTITUTION Economic Research Service (DOA), Washington, DC.

Agriculture and Rural Economics Div.

PUB DATE Feb 88 NOTE 50p.

PUB TYPE Statistical Data (110) -- Reports - General (140)

EDRS PRICE MF01/PC02 Plus Postage.

DESCRIPTORS *Agricultural Production; Agriculture; *Cost

Effectiveness; *Farm Management; *Crains (Food);

*Income

IDENTIFIERS *Rice

ABSTRACT

U.S. farms growing rice varied considerally among seven rice-growing regions, according to the 1984 Farm Costs and Returns Survey. This report (which includes 28 data tables) summarizes and compares the production practices and costs of production of United States rice farms. Costs per acre of rice were greatest in California and on the Lower Coast of Texas. Rice growers in Northeast Arkansas and the Mississippi River Delta received the most favorable returns from rice. Returns were least favorable on the Lower Coast of Texas. (Author/KC)



United States Department of Agriculture

Economic Research Service

Agriculture and Rural Economy Division


U.S. Rice Farms A Regional Comparison

Robert Dismukes

U.S. DEPARTMENT OF EDUCATION
Office of Educational Research and Improvement
EDUCATIONAL RESOURCES INFORMATION
CENTER (ERIC)

The document has been reproduced as received from the person or organization originating if

- Minor changes have then made to improve reproduction quality
- Points of view or opinions stated in this document do not necessarily represent official OERI position or policy



U.S. RICE FARMS: A REGIONAL COMPARISON. By Robert Dismukes.
Agriculture and Rural Economy Division. Economic Research Service, U.S. Department of Agriculture. ERS Staff Report No. AGES880119.

ABSTRACT

U.S. farms growing rice varied considerably among seven rice-growing regions, according to the 1984 F rm Costs and Returns Survey. This report summarizes and compares to production practices and costs of production of U.S. rice farms. Costs per acre of rice were greatest in California and on the Lower Coast of Texas. Rice growers in Northeast Arkansas and the Mississippi River Delta received the most favorable returns from rice. Returns were least favorable on the Lower Coast of Texas.

Keywords: Rice, farms producing rice, production practices, costs of production.

ACKNOWLEDGMENTS

The author gratefully acknowledges the advice and encouragement of Bob McElroy, Jim Johnson, David Harrington, Janet Livezey, Warren Grant, and Art Gerlow and the editorial assistance of Jim Carlin and Bonnie Moore.

1301 New York Avenue, NW. Washington, DC 20005-4788

February 1988



CONTENTS

	Page
Summary	. iv
Introduction	. 1
Data Sources	. 1
Location of Rice Production	. 2
Character tics of Farms Producing Rice	. 3
Rice Production Practices Technical Services Field Operations Irrigation Tractors, Combines, Buggies, and Trucks Post-Harvest Operations	. 4
Rice Production Costs and Returns	. 10
References	. 12
Appendix tables	. 43



SUMMARY

Rice production practices, costs, and returns varied among regions of the United States. According to budgets based on the 1984 Farm Costs and Rerurns Survey, costs were relatively high in California and on the Lower Coast of Texas and low in the Mississippi River Delta, Southwest Louisiana, and Northeast Arkansas rice-growing regions.

Tillage per planted acre was greatest in 1984 on the Lower Coast of Texas and least in Southwest Louisiana. On the Lower Coast of Texas, variable expenses, particularly those related to machinery use, were greatest. Expenses for pesticides, most of which were custom applied, were also greatest on the Lower Coast of Texas and smallest in Southwest Louisiana. Airplanes seeded almost all rice acreage in California, about 75 percent of the acreage in Southwest Louisiana, and about 60 percent on the Upper Coast of Texas. All rice acreage was irrigated. In California and on the Upper Coast of Texas, most rice acreage was irrigated with water purchased from canal companies or irrigation districts. Wells and surface sources (rivers, lakes, and ponds) provided most of the irrigation water in the Mississippi River Delta, Northeast Arkansas, the Grand Prairie, and Southwest Louisiana. On the Lower Coast of Texas, about half was irrigated from wells and half from canals.

Cropland acreage per farm was highest in the Mississippi River Delta. Average acreage planted to rice was highest on the Upper Coast of Texas and smallest on the Grand Prairie. More than 50 percent of the cropland on rice farms in the Delta, Northeast Arkansas, Southwest Louisiana, and on the Grand Prairie was planted to crops other than rice, most often soybeans.

Total variable expenses were highest on the Lower Coast of Texas, 17 percent greater than in the next highest region, the Upper Coast of Texas, and 76 percent greater than in the lowest region, Northeast Arkansas. On the Lower Coast of Texas, field operations per acre and the cost of purchased water were by far the highest of those in any region. High costs in California were offset by large cash receipts, the result of high yields. On the Lower Coast of Texas, despite above average yield, returns to an acre of rice were least favorable.

Total economic costs were lowest in the Mississippi River Delta. Every cost component was below the national average in the Delta. Total variable expenses in Northeast Arkansas were the lowest, although the amount of field operations was above average. Cash receipts, due to low yield, were lowest in Southwest Louisiana. Average receipts produced at low cost led to the most favorable returns in the Delta and Northeast Arkansas.



iv

U.S. Rice Farms

A Regional Comparison

Robert Dismukes

INTRODUCTION

Rice, a major U.S. field crop, is critically important to the economies of the areas where it is produced. In Arkansas and Louisiana, for example, farmers earned 10-20 percent of their agricultural cash receipts in 1984 from rice $(\underline{1},\underline{3})$. $\underline{1}/$

How and where farmers grow rice influence its costs of production and, consequently, the returns to rice production. To estimate the costs of producing rice and other major field crops, the Economic Research Service (ERS) constructs crop-specific budgets that represent typical production practices and their costs in each State or, in the case of rice production, each region in which a significant amount of production takes place. These per-acre budgetr, summaries of all operator and landlord costs and returns associated with the production of the crop, are aggregated by the proportion of total acreage they represent to produce regional and national estimates. ERS has constructed budgets for seven rice-growing regions.

Data for the budgets are obtained from published reports and from periodic surveys of producers. A sample of rice producers was surveyed about their production practices and expenses as part of the 1984 Farm Costs and Returns Survey (FCRS). Rice producers were previously surveyed in 1979 (5) and will be surveyed again about production practices in 1988. Survey data are supplemented and updated between surveys with information from the National Agricultural Statistics Service (NASS) and State agricultural statistics offices. This report summarizes and compares the operating characteristics, production practices, and costs of production of rice farms in the seven budget regions and the total United States. These data are the basis of ERS rice costs-of-production estimates for 1984-87 (6).

DATA SOURCES

ERS and NASS jointly conducted the 1984 FCRS in early 1985. The 1984 FCRS was a multiframe stratified survey composed of a list and an area frame. The list frame, made up of farmers known to have previously grown rice, was stratified by size. The area frame, aerial photographs of land



Dismukes is an agricultural economist in the Agriculture and Rural Economy Division, Economic Research Service.

 $[\]underline{1}/$ Underscored numbers in parentheses cite sources in the References section.

segments, was stratified by land use. The sample was drawn to represent the population of U.S. rice producers. 2/ Five hundred thirty-two rice farmers completed questionnaires. Each completed questionnaire or observation of rice production represented a number of rice farms with similar characteristics. NASS and ERS estimated the number represented, a survey expansion factor. The sample observations were then expanded to population estimates by weighting each observation by its expansion factor.

With each estimate comes a coefficient of variation, a measure of the statistical precision or dispersion of values about the estimate. For totals, coefficients of variation were derived from the variation in the sample strata, measuring the statistical precision of the estimate. Coefficients of variations of averages per farm are more complex. They are based on a ratio of two estimates: the variable of interest and the total number of farms. A coefficient of variation of a mean may be interpreted simply as the dispersion of values about their mean.

A coefficient of variation is a percentage, 100 times the standard error or deviation divided by the estimate, and can be used to construct a confidence interval about the estimate. For example, the estimated average U.S. rice acreage is 280 acres and its coefficient of variation is 7.97. This means that, according to the FCRS, about 68 percent of the rice farms in the United States planted between 258 and 302 acres of rice. 3/

LOCATION OF RICE PRODUCTION

U.S. farmers produced nearly 139 million hundredweight (cwt) of rice on 2.8 million acres of cropland in 1984, substantially above 1983 levels, when a Payment-in-Kind program was in effect (table 1). Figure 1 shows the seven rice-growing regions. The counties and crop reporting districts of each region are listed in appendix table 1. The rice-growing areas adjacent to the Mississippi River in Mississippi, Missouri, Louisiana, and Arkansas are referred to as the Mississippi River Delta. The Arkansas regions, in addition to the Delta, are the Grand Prairie, which is the south-central part of the State, and Northeast Arkansas, which is the area west of the Delta and northeast of the Grand Prairie. Along the gulf coast there are three regions: Southwest Louisiana, the Upper Coast and Lower Coast of Texas. The California reg 'n includes the Sacramento and San Joaquin Valleys.

More than 70 percent of the farms that produced rice in 1984 were located in the Mississippi River Delta, the Grand Prairie, and Northeast Arkansas (table 2). Approximately 60 percent of rice acreage was in the same three regions (table 3). Northeast Arkansas led the regions in total



^{2/} The 1979 and 1984 surveys are not strictly comparable because of differences in sample design. In the 1979 Costs-of-Production Survey, the probability of a rice farmer being interviewed was proportional to acres of rice planted.

^{3/} About 68 percent of the probability density of a normally distributed random variable lies within one standard deviation above and one standard deviation below the mean. The standard deviation of mean U.S. rice acreage is 22.32.

acreage planted. The Lower Coast of Texas had the fewest acres of rice planted.

CHARACTERISTICS OF FARMS PRODUCING RICE

A farm's production situation, that is, its size, crop mix, and tenure (who owns the farm and how it is operated) affects costs of production and returns. A description of rice producers' situations follows.

Acreage

Average rice farm acreage was larger than average cash grain farm acreage. Rice farms operated 1,244 acres, while cash grain farms operated 647 acres per farm (4). The largest rice farms were in the Mississippi River Delta. Average acreage of rice, however, was greatest on the Upper Coast of Texas and smallest on the Grand Prairie.

Crop Mix

Farms that grew rice also produced other crops in 1984 (tables 3 and 4). More than 60 percent of the cropland on U.S. rice farms was planted to crops other than rice. In the Mississippi River Delta, Northeast Arkansas, the Grand Prairie, and Southwest Louisiana, more than 50 percent of the cropland on rice farms was planted to other crops. Rice farmers in these four regions planted more acres to soybeans than to rice. In Texas and California, more acres on rice farms were planted to rice than to other crops. Soybeans, sorghum, and corn were common alternate crops in Texas. California rice farms, which did not plant soybeans, produced sugar beets, alfalfa, and vegetables. Beef cattle were present on 30-40 percent of the rice farms in each of the two Texas regions and in Northeast Arkansas.

Parmers always irrigate rice, but most other crops on rice farms grow without irrigation. California rice growers, however, irrigated more acreage for other crops than rice.

Tenure of Operator

Cropland may be owned or rented by the product, and the rent may be paid either in cash or as a share of the production. Rice farmers planted more of their rice on rented land than on land that they owned in 1984 (table 5). Nearly half of the U.S. rice acreage was share rented, and another 15 percent was cash reated. In the Grand Prairie, the Lower Coast of Texas. and Southwest Louisiana, more than half of the rice acreage was share rented. About 40 percent of the farms produced rice only on share-rented land.

Share Rental Agreements

A landlord typically receives a share of the tenant's rice production in exchange for providing land and paying portions of other costs under ϵ share rental agreement. The share of production that a landlord receives varies with the amount of cost the landlord pays (table 6).



About 20 percent of the share agreements were for land only in 1984. In these cases, the landlord provided no other inputs.

About 25 percent of the agreements included only irrigation costs in addition to the land. Nearly all such agreements included a portion of the expenses for wells, except in California, where most water came from canals (table 7). The landlord most often paid the entire cost of an irrigation item.

Most share agreements included 'th irrigation and nonirrigation costs. Under these agreements, the languard's share of production was the greatest. Nonirrigation items were most often fertilizers, pesticides, and rice drying (table 8). When a conirrigation item was included, the landlord most often paid half of its cost.

Cash Rental Agreements

The landlord may share costs as part of a cash rental agreement. Such agreements arise mainly for irrigation expenses, as the landowner may also own or control water sources on or near the rented land. In 1984, about 20 percent of the cash rental agreements of rice provided that the landlord pay a portion of irrigation expenses (table 9). Under most of these agreements the landlord would pay the entire cost of the item: purchased irrigation water in California and the Lower Coast of Texas and wells in the other regions. Cash rents were highest in California and lowest on the Upper Coast of Texas (table 9).

RICE PRODUCTION PRACTICES

Farmers plant rice between March and May and harvest it between July and late October. Rice grows in stan'ing water on land that has been leveled into paddies. Rice farmers construct semipermanent levees and flood the paddies either just before or just after seeding. They drain the paddies before harvest (2).

Technical Services

Surveying for levees was custom hired for most rice acreage in all regions except Southwest Louisiana and the Lower Coast of Texas (table 10). The per-acre expenditure for surveying was highest in California and lowest in Southwest Louisiana.

Other technical services, such as soil testing, were rarely hired in 1984 (table 10). In most regions, farmers hired technical services on less than 5 percent of the rice acreage.

Field Operations

Almost all rice production operations are mechanized, performed by the farm operators with their machinery or custom hired (table 11). The extent of each field operation is measured in times-over, which is the acreage covered in the operation divided by the total acreage planted to rice. Times-over describes the operations on an average acre of rice.



Table 12 shows what implements are used in field operations and their sizes. Other implements were less frequently used: disk plows rather than chisel plows in the Delta, Southwest Louisiana, and the Grand Prairie; heavy disks rather than regular tandem disks in California; roller and finishing harrows in Northeast Arkansas and the Grand Prairie; and broadcast seeders rather than plain disk drill seeders in Northeast Arkansas.

Tillage

Tillage constituted about 70 percent of the times-over for all field operations in each region. Total times-over for tillage, use of plows, disks, field cultivators, harrows, bedders and shapers, soil packers, and other tillage implements, was greatest on the Lower Coast of Texas, more than double the amount of times-over in Southwest Louisiana. The Lower Coast of Texas and Southwest Louisiana also ranked first and last in tillage in 1979. Most of the differences among regions in the amount of tillage centered on disking, harrowing, and packing during 1984. Rice farmers tilled less in 1984 than they did in 1979, according to the 1984 FCRS.

Seeding

Rice is seeded either from airplanes or from ground equipment. Airplanes must be used when farmers flood fields before seeding. Seed drills or broadcast seeders may be used when seeding precedes flooding. Aeriai seeding is almost always a custom-hired operation.

Seeding from airplanes was more common than seeding from ground equipment in California, Southwest Louisiana, and the Upper Coast of Texas (table 13). Ninely-seven percent of the rice acreage in California and 78 percent in Southwest Louisiana were aerial-seeded. Rice farmers in Arkansas used air seeding least.

The mix of seeding methods has changed little between 1979 and 1984. Drill seeding was popular in 1984 on the Grand Praicie, Northeast Arkansas, and the Delta. Air seeding in both years was confined largely to California, Southwest Louisiana, and the Upper Coast of Texas.

Seeding rates were higher on aerial-seeded land than on land seeded with ground equipment. The seeding rate was highest for aerial-seeded acreage in California and lowest for drill-seeded acreage on the Upper Coast of Texas.

Fertilizer

Farmers can apply fertilizer to rice fields from airplanes or from ground equipment, depending upon whether the field is flooded at the time. The initial application, usually at planting, may be handled by ground equipment if the field has not yet been flooded. Airplanes usually provide subsequent applications on flooded fields. Table 14 shows fertilizer application rates on rice acreage in 1984.



Pesticides

Rice pests can be controlled by planting disease-resistant varieties, by plowing, and by applying chemical pesticides. Pesticides may be applied to rice seeds or sprayed on rice paddies, irrigation ditches, and levees.

Rice farmers on the Lower Coast of Texas spent the most on pesticides per planted acre and Southwest Louisiana farmers spent the least (table 15). These two regions also ranked first and last in pesticide expenditures in 1979.

Weed control was the major reason for the use of chemicals in rice production in 1979. Chemical costs for weed control ranged between 77 and 99 percent in 1979. Data on types of pesticides were not available from the 1984 survey.

Hand Labor

Some hand labor is required to grow rice (table 16). More than 75 percent of the hours of hand labor in every region except California focused on irrigation-related activities. The greatest amount of hand labor per acre was required in flooding and walking levees to attend to water. Total hours of hand labor per acre was greatest in the Mississippi River Delta and smallest on the Grand Prairie in 1984. Rice farms on the Lower Coast of Texas used the most hand labor per acre and Southwest Louisiana the least in 1979.

Irrigation

All rice acreage in 1984 was irrigated, and the water came from three general sources: wells, canals (purchased water), and surface sources (lakes and rivers). The chief water source differed from region to region (table 17). Most rice acreage received water purchased from canal companies, associations, or irrigation districts in California and on the Upper Coast of Texas. Half of the acreage was irrigated with purchased water and half with water from wells on the Lower Coast of Texas. Farmers flooded about 20 percent of the acreage with purchased water in Southwest Louisiana. Most rice was irrigated with well water elsewhere.

A rice farmer typically drew irrigation water from only one source. Fewer than 10 percent of the farms in 1984 commingled irrigation water from different sources. Sources of irrigation water appear to have been about the same in 1984 a 1979. In California and Southwest Louisiana, however, more acres were reported irrigated with purchased water in 1984. Commingling of irrigation water sources was also rare in 1979.

Pumps

Irrigation pumps can draw underground water from wells or pump water over the sides of a canal from one field to another. The 1984 FCRS made no measure of the depth of the wells or the pumping lifts. Analysts combined data for all pumps used in rice production (table 18).



Pumps were most numerous per farm in the two Arkansas areas and in the Mississippi River Delta, where well water was most common. (Wells in these areas drew from less than 500 feet, according to the 1979 survey.) Electricity powered most pumps in the two Arkansas areas. Electricity and diesel split as power sources in the Delta. Electricity was also the most frequent power source for pumps in California. Diesel was the favored fuel in Southwest Louisiana and the Upper Coast of Texas. On the Lower Coast of Texas, rice farmers favored natural gas.

Tractors, Combines, Buggies, and Trucks

Rice farmers use tractors mainly to build levees and ditches and to prepare the land for seeding. Farmers harvest the crop with combines & d transport the grain from the combines to trucks by rice buggies.

The tractors, combines, buggies, and trucks described by farmers in the FCRS were either owned, rented, or leased for the entire 1984 growing season. Equipment used in a custom-hired operation was not included; its cost was included in the custom charge.

Tractors

Table 19 presents a description of the tractors use' in rice production in 1984. Two-wheel-drive tractors were the most common. Seventy-five percent of the tractors on rice farms were two-wheel-drive, and, on average, farms in every region except California had two or more two-wheel-drive tractors. About 18 percent of tractors were four-wheel-drive. Crawler tractors, about 5 percent of the tractors on rice farms, were most common in California. More than 90 percent of the crawlers were located in this State. Farmers drove four-wheel-assisted tractors in every region except the Lower Coast of Texas. The Delta contained more than half of the four-wheel-assisted tractors.

More than 90 percent of all tractors were diesel powered (table 19). Four-wneel-drive tractors, on average, provided the greatest takeoff horsepower and two-wheel-drive tractors the least. Forty percent of the two- and four-wheel-drive tractors owned by rice farmers were bought used (table 20). Tractors in California were the oldest.

Combines

A rice farmer also typically used more than one combine to harvest his crop in 1984 (table 21). Farmers on Texas upper and lower coasts averaged more than two combines per farm. Nearly all combines on rice farms were owned, not leased, and most were purchased new, except for two-wheel-drive combines in Northeast Arkansas and California. Two-wheel-drive combines were the most popular in every region except California, where 97 percent of the combines were either track or combination track and wheel drive.

A similar distribution of drive types of combines occurred in 1979 with two exceptions: in California, 56 percent of the combines were track drive in 1979, and 75 percent in 1984; in Northeast Arkansas in 1979 just 1 percent of combines were combination drive, but by 1984, an estimated 22 percent of the combines were. The four-wheel-drive combines were



newer than the two-wheel-drive combines, an average of 2 to 5 years newer, depending upon the region (table 21).

Rice Buggies

Rice farmers drain the fields shortly before harvest. Because fields are then too damp to support trucks, rice buggles, which have large tractorlilines, transport the crop from the combines to the trucks.

Ninety pe __nt of the farms had at least one rice buggy (table 22). Growers used more buggies than combines in Northeast Arkansas, Grand Prairie, Southwist Louisiana, and the Lower Coast of Texas. Rice buggies in California had the greatest average capacity and were most often self-propelled. Buggies were most often pulled by tractors in other regions.

Trucks

Pickup trucks, used on 91 percent of rice farms, were the most common type of truck in 1984 (table 23). Mileage per pickup was greatest in the Delta.

Most rice farmers also had larger trucks. Eighty-six percent of the farms had at least one truck larger than a pickup. Of these, single-axle trucks were the most common. All regions, except the Lower Coast of Texas, averaged more than one single-axle truck per farm.

Gasoline powered more than 90 percent of the single-axle trucks. The average year of manufacture of a single-axle truck r. iged from 1966 on the Grand Prairie to 1974 in the Delta.

There were about four times as many single-axle trucks than tandem-axle trucks on rice farms in 1984. There were fewer semitrucks than tandem-axle trucks. Eighty-five percent of the semitrucks on rice farms were located in the two Arkansas areas plus the Delta.

Post-Harvest Operations

Growers harvest rice: about 20-percent moisture and dry it to about 13-percent moisture. Otherwise, producers sell rice "green.' Rice drying may take place in the farmer's own dryer, located on the farm, or in a commercial dryer. Rice may be rauled to the dryer in the farmer's own truk, or it may be custom-hauled.

Drying

Producers dried about three-fourths of the 1984 recrops, mostly in commercially operated off-farm dryers (table 24). On the Lower Coast of Texas, growers dried more than 90 percent commercially. Only in Southwest Louisiana was onfarm drying most popular. In California and the Upper Coast of Texas, almost all rice was commercially dried. About half the crop was producer-dried on the Grand Prairie. Delta growers sold two-thirds of their rice green. Most farms on the Grand Prairie sold their entire crop green, and purchasers subsequently dried it. Less rice was sold green in 1979.



Natural gas was the most popular fuel for onfarm drying in Southwest Louisiana and the Lower Coast of Texas (table 25). Liquefied petroleum gas was most popular in the Delta, on the Grand Prairie, and in California. Electricity was common Northeast Arkansas and on the Upper Coast of Texas.

Hauling

Rice farmers used their own trucks to haul all rice dried onfarm (table 26). Only on the Upper Coast of Texas was more than 20 percent of the onfarm dried crop custom-hauled. Growers also drove their own trucks to haul rice dried off the farm to commercial dryers. Only on the Lower Coast of Texas and in California was more than half the commercially dried crop custom-hauled to the dryer.

RICE PRODUCTION COSTS AND RETURNS

Table 27 shows estimates of the average costs and returns per acre of rice in 1984, the year that the FCRS obtained detailed production practice data for rice. The estimates were calculated with the aid of the FEDS budget generator. The structure of accounts and the methodology came from the annual aconomic Indicators of the Farm Sector: Costs of Production (6). Costs are summarized as variable expenses, capital replacement, fixed expenses, and economic costs, which are subtracted from cash receipts. The difference between cash receipts and economic costs is a return to management and risk.

Cash Receipts

Cash receipts are the average per-planted-acre yield multiplied by the harvest-month average price for rice. Direct Government payments, storage costs, and changes in the value of assets are not included.

Rice prices and, thus, the cash receipts reported should be used with caution. 4/ The prices were estimated based on the proportion of each rice grain type produced in each region and the Commodity Credit Corporation (CCC) loan rate differential for each type of rice. 5/

Cash receipts per planted acre of rice were highest in California in 1984. Medium— and short—grain rice, which produce higher yields than long—grain, were most common in California. Medium and short grains brought lower prices, but their yields in 1984 were sufficiently large to result in cash receipts per _ - that were higher than those for long grain. On the Lower Coast of Texas, the new highest area in cash receipts and a long—grain area, both yield and price were above the national average. Ratoon cropping (second cutting) was prevalent there. In Southwest Louisiana and the Delta, both yield and the price of rice were below the national average. Cash receipts were lowest in Southwest Louisiana.



^{4/} NASS cannot, due to confidentiality restrictions, directly disclose State-level harvest-month price estimates for rice.

^{5/} The CCC loan rate in 1984 was \$9.12 per cwt for long-grain rice and \$6.80 per cwt for medium- and short-grain rice.

Cash Expenses and Capital Replacement

Cash expenses (out-of-pocket costs incurred during production) are divided into variable and fixed expenses. Capital replacement is a charge for replacing buildings and machinery.

Variable expenses

Variable expenses per acre planted in 1984 were greatest on the Lower Coast of Texas, 17 percent greater than in the next highest region, the Upper Coast of Texas, and 76 percent more than in the lowest region, Northeast Arkansas. Producers on the Lower Coast of Texas undertook more field operations than producers in any other region. Total times-over for field operations on the Lower Coast of Texas was 50 percent above the national average. The second harvest of rice accounts for some of the difference, but there was also substantially more tillage than average on the Lower Coast of Texas. The more field operations are performed, the more equipment is used, resulting in higher fuel and capital replacement expenses, two items in which the Lower Coast of Texas ranked first.

Producers on the Lower Coast of Texas also paid more for purchased water. Their average expense for purchased water was more than 30 percent higher than on the Upper Coast of Texas and more than 180 percent higher than in California. Some of the difference may be attributed to ration cropping: fields are drained, cut, and flooded again. It is impossible to determine which region had the greatest total irrigation expense per acre The costs of well water, about half the irrigation water on the Lower Coast of Texas, were included with other machinery costs for fuel, lube, electricity, and repairs.

Custom operations, another variable expense, were also higher than average on the Lower and Upper Coasts of Texas and in California. Expenses for custom-hired applications of chemicals were above average in each of these regions and in California, where extensive air seeding also contributed to the higher than average expense.

Variable expenses were lowest on the G. and Prairie, in Northeast Arkansas, and the Delta. Although the times-over of field operations on the Grand Prairie and Northeast Arkansas and the pesticide expenses in the Delta were above average, total variable expenses were low. Expenses for custom operations were especially low, because virtually no air seeding occurred in these regions. Rates for drying rice and applying phosphorus were also below the national average on the Grand Prairie and in Northeast Arkansas.

Fixed Expenses

Fixed expenses per acre, actual expenditures attributed to an acre of tice, were greatest in 1984 in California and smallest in Southwest Louisiana. Fixed expenses in California were more than double the fixed expenses on the Lower Coast of Texas, the next highest region. Much of this difference was in interest paid, which was double the national average in California.

General farm overhead, expenses for utilities, licenses, and accounting, was also nearly double the national average in California. Rice



producers in California also paid the most per acre for taxes and insurance.

Receipts Less Cash Expenses and Capital Replacement

The difference between cash receipts and cash expenses in 1984 was greatest on the Grand Prairie and in Northeast Arkansas. The difference was more than five times what it was on the Upper Coast of Texas, where it was smallest.

The cost of capital replacement, which is based on the farm machinery and buildings owned by a rice producer, was greatest on the Lower Coast of Texas, the Grand Prairie, and in California. When the cost of capital replacement was included in expenses, the difference between cash receipts and expenses was most favorable in Northeast Arkansas. The gap between receipts and expenses was least favorable on the Lower Coast of Texas.

Economic Costs and Returns

Economic costs are the longrun costs of producing rice. They are all cash expenses, except interest payments, plus values that are imputed to capital, land, and the farmer's own labor. The economic return to management and risk is a residual, the difference between economic costs and cash receipts. Economic costs are full-ownership costs and allow comparisons among regions without regard to the debt and land ownership positions of the producers.

Returns to operating capital, other nonland capital, land, and unpaid labor, are imputed from values of these resources in their next best alternative use. For operating capital, the return is measured based on the 6-month U.S. Treasury bill rate. For other nonland capital, it is the longrun rate of return to production assets in the farm sector. For land, it is net land rent, and for unpaid labor, the imputed value is the average wage rate.

The return imputed to operating capital was greatest in the two Texas areas and California, regions that also had the greatest variable cash expenses. It was lowest in Southwest Louisiana, followed by Northeast Arkansas, the Delta, and the Grand Prairie, all areas with relatively low variable expenses.

The return to other nonland capital, farm machinery and irrigation equipment, was above average in California and on the Grand Prairie and the Lower Coast of Texas. The greatest variation in imputed costs among the regions was in net land rent. Rent was highest in California, where cash rents were the highest by far, followed by the Grand Prairie, Northeast Arkansas, and Southwest Louisiana. Net rent was lowest on the Upper Coast of Texas, a region with relatively low cash rents and little share renting.

Total economic cost per acre was greatest in California, but large cash receipts pushed the residual return to management and risk above the national average. The residual return, the longrun return to rice production under 1984 conditions, was most favorable in Northeast Arkansas and least favorable on the Lower Coast of Texas, though in every region the return was negative.



REFERENCES

- (1) Arkansas Agricultural Statistics Service. 1985 Agricultural Statistics for Arkansas. Report Series 294. Arkansas Agricultural Experiment Station, Fayetteville. Aug. 1986.
- (2) Chapman, Stephen R., and Lark P. Carter. Crop Production:
 Principles and Practices. W.H. Freeman, San Francisco, CA, 1976.
- (3) Fielder, Longie L., Jr., and Bergen A. Nelson. Agricultural Statistics and Prices for Louisiana, 1979-84. D.A.E. Research Report No. 641. Louisiana Agricultural Experiment Station and Department of Agricultural Economics and Agribusiness, Louisiana State University, Baton Rouge. Aug. 1985.
- (4) Morehart, Mitchell J., and Richard Prescott. Farm Operating and Financial Characteristics, January 1985. ERS Staff Report No. AGES860521. U.S. Department of Agriculture, Economic Research Service, June 1986.
- (5) Mullins, Troy, Warren R. Grant, and Ronald D. Krenz. Rice Production Practices and Costs in Major U.S. Rice Areas, 1979. Bulletin 851.

 Arkansas Agricultural Experiment Station, Fayetteville. Mar. 1981.
- (6) U.S. Department of Agriculture, Economic Research Service. Economic Indicators of the Farm Sector: Costs of Production, 1984. ECIFS 4-1. Sept. 1985.
- (7) _____, Economic Research Service. Rice: Situation and Outlook. Sept. 1986.
- (8) Statistics, 1985. Statistical Reporting Service. Agricultural



Table 1-Rice acreage, yield, and production, 1979-84

Year	:	Acres planted	:	Production	:	Yield
	· :	1 000		1,000 cwt	•	Owt per acr
	: :	1,000 acres				
1979	:	2,980		131.,947		45.66
1980	:	3,380		146,150		43.24
1981	:	3,827		182,742		47.75
1982	:	3,295		153,637		46.63
1983	:	2,190		99,720		45. 53
1984	:	2,830		1.38,810		49.05
	:					

1.

Source: (8).






Table 2—Farmas producing rice and access of land owned, rented, and operated, 1984

_	:Mississipp:		:	:	Texas	Texas	:	:
Iten	River	: Northeast	: Grand	: Southwest :	Upper :	Lower	:California	: United
	: Delta	: Arkansas	: Prairie	: Louisiana :		_	:	States
	<u>:</u>	<u>:</u>	<u>:</u>	:			:	· states
	: :			Numb	YOT"			
Farms	: 2,013	2 005	2 200					
· cature	: 2,013	2,805	2,289	1,241	411	390	924	10,07
Land in farms: 1/	:			Acr	es			
Total	: 4.096.892	2,671,578	2,350,124	1 200 2/6	707 (00	/00 -=0		
Average 2/	: 2,035	952		1,300,246	797,403	498,178	1,270,538	
Land owned—	:		1,027	1,048	1,940	1,278	1 ,3 75	1 ,28
Total.	: 1,317,977	702,600	528,845	245,933	195,928	92,608	787,312	3,871,20
Average 2/ Land rented to	: 655 :	250	231	198	477	238	852	38
operator-	:							
Total	: 2,778,915	1,968,979	1,821,279	1,054,313	601,475	405,570	483,026	9,113,55
Average 2/	: 1,381	702	796	850	1,463	1,041	523	رندردنندرو 90:
and rented by operator to others:	:							
•	05.660							
Total	: 85,662	9,863	19,775	25 ,83 1	78,097	12,058	224,491	455,778
Average <u>2</u> /	: 43 :	4	9	21	190	31	243	4.
and operated: 3/	:							
Total	: 4,011,230		2,330,349	1,274,415	719,305	486,119	1,045,847	12,528,98
Average 2/	: 1,993	949	1,018	1,027	1,750	1,247	1,132	1,24
	:			Coefficient o	of variation			
arms	27. 18	27.29	33.16	8.59	9.43	9.35	4.35	11.0
and in farms: 1/	:							
Total	: 27.87	27.90	38.39	13.80	19.79	16.78	16 00	10.0
Average <u>2/</u> Land owned—	20.72	6.84	9.26	12.20	18.41	14.30	16.09 16.00	12.0 7.2
Total	. 20.10	00.05	20.25					
	: 30.18	23.35	29.25	44.00	35.84	20.71	24.48	12.8
Average 2/ Land rented in—	: 37.08 :	18.37	40.83	43.78	35.54	18.71	24.46	15.3
Total	: 31.94	31.73	48.80	13.55	21.22	19.54	15.23	14.7
Average 2/	: 17.16	9.39	18.85	11.70	19.8	15.06	15.06	7.3
and rented out:	:							
Total	54.12	73.22	57.71	65.45	75.84	42.79	47.81	29.1
Average 2/	: 58.71	77.05	64.57	65.69	75.61	41.81	47.91	31.0
and operated: 3/	:							
Total	: 28.20	28.00	38.68	13.33	16.59	17.07	15.15	12.3
Average 2/	: 20.74	6.88	9.47	11.60	14.84	14.65	14.98	7.2



 $[\]frac{1}{2}$ Land in farms = land owned plus land rented in. $\frac{2}{3}$ Mean per farm producing rice. Land operated = land owned plus land rented in minus land rented out.

Table 3—Cropland and acres planted in rice and other crops on farms producing rice, 1984 $\underline{1}'$

	:Mi	esiesippi	:	: ;					
Item	:	River	Northeast		Southwest:	U,per ∶		California :	
	:	Delta	: Arkansas	: Prairie :	Louisiana:	Coast :	Coast :	:	States
	:		<u>:</u>	<u>:</u>		:			<u> </u>
	:				Acr	00			
	•				<u>a</u>	<u> </u>			
ropland:	:								
Total	: 3	.530,324	2,173,490	1,952,389	949,811	368,084	268,315	570,855	9,813,268
Average 2/	:	1,754	775	853	765	895	688	617	974
Rice	:	_,	-						
Total planted	:	632,933	694,268	374,253	380,938	199,484	158,152	377,625	2,817,653
Average 2/	:	314	248	164	307	485	406	409	280
Soybeans	:								
Total planted	: 2	,333,976	1,228,640	1,488,297	518,742	133,473	27,820	0	5,730,949
Average 2/	:	1,160	438	650	418	325	71	NA.	569
Cotton—	•	-,							
Total planted	•	334,696	16,853	5,953	17,300	0	0	15,562	390,365
Average 2/	:	166	6	3	14	NA	NA.	17	39
Wheat-	:	200	· ·	_					
Total planted	•	677,099	470,068	424 ,6 55	18,020	15,877	9,996	70,792	1,686,507
Average 2/	:	336	168	165	15	39	26	. 77	167
Other grains—	•	330	100	11.0		•			
	•	174,997	159,824	64,426	20,805	22,559	72,125	53,924	568,699
Total planted	•	87	57	28	17	55	185	58	56
Average 2/	•	0/	31	20	17	33	100	34	
Other crops	•	170	0	0	0	0	3,116	55,747	59,032
Total planted	•	170		NA.	NA.	NA.	3,110	60	(
Average <u>2</u> /	:	<u>3</u> /	NA.	NA	IVA.	1Acr	,	00	
	•				Coefficient	of variation	•		
	:				weiliciait	OI VALIBLIA	<u> </u>		
Cropland:	:								
Total	:	29.25	26.43	44.07	12.07	14.80	16.13	10.26	14.2
Average 2/	:	2 6. 65	9.71	13.16	9.99	12.85	13.97	10.59	10.3
Rice—	:								
Total planted	:	26.86	27.43	24.36	12.71	13.09	11.34	9.79	9.
Average 2/	:	26.63	9.37	15.62	11.06	11.11	7.50	9.64	7.9
Soybeans	:								
Total planted	:	32.90	25.46	52.19	11.59	17.54	50.36	NA.	19.0
Average 2/	:	27.17	12.38	21.60	9.14	15.36	49.47	NA.	13.9
Cotton—	:								
Total planted	•	29.43	99.14	68.05	91.23	NA	NA.	96.9 0	26.
Average 2/	•	24.57			91.40	NA.	NA.	96.83	25.
Wheat—	:	24.37	101.41	7310	2_1.0				
	•	43.45	29.90	37.05	66.51	52.07	87.81	24.63	20.
Total planted	i	43.45			66.46	51.55	87.20	24.59	
Average 2/	•	43,00	42،01	12.00	····	31.33	J. 120	257	
Other grains		/.o nc	27 67	32.41	45.89	44.85	22.93	28.34	16.
Total planted	:	43.96				44.22	20.84	28.20	
Average 2/	:	20.92	27.37	43.22	44.95	44,22	20.04	20.20	74,
Other crops—	:	o= :o			244	274	92.76	31.96	30.
Total planted	:	87.43			NA NA	NA NA			
Average <u>2</u> /	:	92.01	. NA	. NA	NA	NA	92.17	31.88	32.
	:								

NA = Not applicable.



^{1/} Crop acreage may exceed cropland due to double cropping.
2/ Mean per farm producing rice.
3/ Lees than an acre.

Table 4-Other crops on farms producing rice, 1984

	:Mississippi	.:	:	<u> </u>	: Teras	: Texas		
Item	: River	: Northeast	: Grand	Southwest		Lower	:California	• 1544-3
	: Delta	: Arkansas	: Prairie	: Louisiana		Coast	:	: United : States
	-:	•	<u>:</u>	_	:	:	<u>:</u>	:
	:			Ac	res			
Soybeans:	:							
Irrigated—	:							
Total planted	: 294,029	355,943	418,258	7,159	0	5 054	0	
Average 1/ Nonirrigated—	: 146	127	183	6	NA.	5,054 13	0 N A	1,080,44 10
Total planted	. 2.020.046	070 505						
	2,039,946	872,696	1,070,040	511 ,584	133,473	22,766	0	4,650,50
Average <u>1</u> / Cotton:	: 1,014	311	468	412	325	58	NA	46
Irrigated—	•							
Trigatet		_						
Total planted	: 130,963	0	1,260	0	0	0	15,562	147,78
Average 1/ Nonirrigated—	65	NA	1	NA	NA	NA	17	1
Total planted	: 203,734	16,853	4,693	17,300	0	٥	•	0/0 50
Average 1/	: 101	6	2	14,500	NA.	0	0	242,58
heat:	:	•	~	14	NA	NA	NA	24
Irrigated—	:							
Total planted	: 1,080	0	0	0	0	^	E0 040	F2 04
Average 1/	: 1	NA.	NA.	NA.	NA.	0	50,269	51,34
Nonirrigated—	:			140	NA.	NA	54	ļ
Total planted	: 676,019	470,068	424,555	18,020	15,877	0.006	20 500	
Average 1/	: 336	168	186	15	برورت 39	9,996 26	20,523	1,635,159
orghum:	:				39	20	22	162
Ncnirrigated—	:							
Total planted	: 159,636	124,045	22,083	17,574	17,181	40,880	110	202 044
Average 1/	: 79	44	10	14	42	105	449	381,849
ther grains:	:			74	42	103	<u>2</u> /	35
Irrigated—	:							
Total planted	: 14,625	32,485	42,146	0	0	9,361	47.000	1/6 616
Average 1/	• 7	12	18	NA.	NA.	24	47,999	146,616
11 other secondary	:			141	14cz	24	52	15
crops:	:							
Irrigated—	:							
Total planted	: 0	0	0	С	0	77	76 717	76 704
Average 1/	: NA	NA	NA.	NA.	NA.	77 27	76,717	76,794
Nonirrigated—	:		•••	141	No.	<u>2</u> /	83	4
Total planted	: 904	3,295	232	3,231	5,378	24,999	E 1.70	/2 516
Average 1/	: <u>2</u> /	1	2/	3	13	64	5,476	43,516
1 secondary crops:	: -		=	•	1	0-4	6	4
Irrigated—	:							
Total planted	: 440,697	388,428	461,664	7,159	0	14,492	100 547	1 500 000
Average 1/	: 219	138	202	6	NA.	14,492 37		1,502,986
Non:rrigated—	:			v	1401	31	206	149
Total planted	:3,080,241 1,4	86,957 1.52	1.704 567 70	19 171 000	98,641	26 440	(05) (30	
Average 1/	: 1,530	530	665	458	90,041 418	26,448	6,953,610	
	:	2		4.00	410	253	29	690

See notes at end of table.

Continued-



Table 4-Other crops on farms producing rice, 1984-Continued

: River : Delta	: Northeast :		: Southwest :		Lower	:California	United	
	a Audamenta -	: Prairie						
•	· Arkansas :		: Louisiana :	Coert :	Coast	:	States	
:	<u> </u>	<u> </u>	Coefficient	of variation	<u> </u>			
:					-			
:								
20.87	37 03	26.38	91,23	NA.	67.10	NA.	17.14	
						NA.	16.21	
. 57.00	10.10	30140						
• 37 22	25 12	71 67	11.75	17.53	59.74	NA.	23.19	
					58.90	NA.	17.95	
. 30.42	10.75	41.12	7.20	2.00	24425			
•								
20	MA	90.00	NA	NA	NA	96.90	35.28	
							36.86	
: 44.65	NA.	34.3 0	No.	1417	***	70.00		
:	00.17	70.00	01 22	WA	NA	NA	29. 19	
-							27.03	
: 17.8	101.41	84.40	91.40	. NA	AVC.	147	2, 100	
:								
:	•••	***	374	37A	NA	20, 20	29.30	
							31.31	
: 77.75	NA.	NA	NA.	NA.	:WA	27.11	31.31	
:				50 OO	07.01	20.55	21.28	
							18.12	
: 43.72	15 .2 9	12.65	66. 46	51.55	8/•19	39.70	10+14	
:								
:				44.40	00.67	02.44	22.67	
•							19.48	
: 24.23	29.00	64.27	51.08	45.85	21.34	93.47	15.40	
:								
:						00.04	17.66	
: 58.31			•				17.60	
: 61.80	44.84	46.99	NA.	NA.	50,25	30.85	20.50	
:								
:								
:						0= //	(0.0	
: NA	NA.						40.0	
: NA	NA	NA.	NA.	NA.	89.54	33.02	31.8	
:							20. 6	
: 55.20	99.01						29.6	
: 61.31	101.58	102.72	92.7 5	59 .6 5	43. 19	69.58	31.5	
:								
:								
: 23.70	34.28	24.71	91.23	NA			13.2	
	16.37	37.47	91.40	NA	51.15	23.01	13.5	
:								
: 36.25	24.63	60.14	12.89	20.78	36.30		20.8	
							15.7	
	: 61.80 : : NA : NA : 55.20 : 61.31	: 37.06	: 37.06	29.87 37.03 26.38 91.23 37.06 18.18 38.48 91.40 21.40	29.87 37.03 26.38 91.23 NA 37.06 18.18 38.48 91.40 NA 37.22 25.12 71.67 11.75 17.53 30.42 18.95 41.12 9.28 15.63 38.11 NA 89.09 NA NA NA 44.85 NA 94.90 NA NA 32.87 99.14 78.32 91.23 NA 17.78 101.41 84.40 91.40 NA 72.34 NA	: 29.87 37.03 26.38 91.23 NA 67.10 37.06 18.18 38.48 91.40 NA 66.79 37.22 25.12 71.67 11.75 17.53 59.74 30.42 18.95 41.12 9.28 15.63 58.90 38.11 NA 89.09 NA	29.87 37.03 26.38 91.23 NA 67.10 NA 37.06 18.18 38.48 91.40 NA 66.79 NA 66.79 NA 37.22 25.12 71.67 11.75 17.53 59.74 N≥ 30.42 18.95 41.12 9.28 15.63 58.90 NA 38.11 NA 89.09 NA	

NA * Not applicable.

 $[\]frac{1}{2}$ / Mean, per farm producing rice. $\frac{1}{2}$ / Less than an acre.

Table 5-Tenure of operator on Land in rice production, 1984

	:Mississ!p	pd:	:	:	. fexas	: Texas		
Item	River	: Northeast	Grand	Southwest		: Texas	:	
	: Delta	: Arkansas	: Prairie	: Louisiana			:California	
	:	:	!	: Domaiaia	· COBSE		•	State
	:		<u> </u>	<u>·</u>	•	:	<u>:</u>	<u> </u>
	:			Perce	ant.			
	:			1610				
Rice acreage:	:							
Owned	: 48.0	48.0	28.5	18.9	10.0			
Cash rented	: 28.3	3.9	12.2	5.6	18.3 44.7	10.7	44.7	36. 9
Share rented	: 22.9	48.1	59.3	74 . 6		27.9	10.3	15.8
Rent free	8	0	0		36.3	61.4	45.0	47.0
		U	U	•9	.7	0	0	.3
Farms with entire	:							
rice acreage:	:							
Owned	22.1	36.1	17.0	٦.				
Cash rented	: 41.0	4.8	17.2	7.6	8.1	6 . ?	35.9	23.2
Share rented	19.5	4.6 32.8	9.5	2.3	41.2	24.6	8.5	15.4
Rent free	: 2.9	32 . 0	59.6	69.7	28.5	41.4	25.0	40.2
Combination owned	• 4.9	U	0	1.8	0	0	0	•1
and rented	· 14.6	26.2						
range	• 14.0	26.3	13.7	18.7	22.2	27.3	30.7	20.4
	•							
	•			Coefficient	of variatio	<u>n</u>		
lice acreage:	•					_		
Owned	• 20.22	00.00						
Cash rented	: 29.32	29.22	31.97	39. 72	24.78	28.53	13.42	34.51
Share rented	: 10.57	47.31	40.25	08، ۲	11.00	14.67	35.78	40.27
Rent free	30.54	27.66	17.90	9.87	17.74	8.08	12.99	28.30
Neur Tree	: 103.55	NA	NA.	98.09	92.79	NA	NA.	83.20
arms with entire	•							00120
rice acreage:	•							
-	:							
Owned	: 26.39	71.50	34.49	45.10	40.88	45.83	16.06	59.27
Cash rented	62.66	61.50	49.13	79.29	17.54	23.37	35.79	44.73
Share rented	: 29.40	22.17	54.12	11.84	21.17	16.60	19.71	40.64
Rent free	: 99.14	NA.	NA.	97.70	NA.	NA.	19.71 NA	87.69
Combination owned	:			-		TALL	1W1	07.09
and rented	: 31.55	36.47	38.11	10.53	11.64	11.89	8.69	20. 12
	:			20130	11.07	11.07	0.09	20.13

NA = Not applicable.



Table 6-Share rental agreements for land in rice production, 1984

	Mississippi	:	_	:	Texas :	Texas	:							
Item		: Northeast :	Grand	: Southwest :	Upper :	Lower Coast	:California :	States						
		: Arkausas :	Prairie	: Louisiana :	Coast :		<u>:</u>							
	:			Numi	ber									
greements	: : 604	1,587	1,619	1,076	164	240	477	5,767						
	: :			Percent of	agreements									
and only	: : 37.1	18.5	7.2	26.0	39.3	7.8	12.6	18.3						
and and irrigation costs only	. 8.5	8.4	44.3	22.8	0	3.0	3.4	25.8						
and, irrigation, and other input costs and and nonirrigation	: 49.1	37.9	47.4	35.1	41.8	35.3	56.7	42.8						
costs only	: 5.3	15.2	1.1	16.1	18.9	53.9	27.3	13.1						
	:			Percent of	production									
verage share received: 1/ Land only	: : : 23.3	D	27.5	20.1	13.3	D	24.2	22.0						
Land and irrigation costs only	: 27.5	25.3	D	25.3	NA	D	D	25.						
Land, irrigation, and other input costs	: : 37.7	29.7	47.4	34.5	47.8	42.0	33.0	37.						
Lend and nonirrigation costs only	: D	25.1	D	20.3	12.2	14.5	26.1	21.						
	<u>Coefficient of variation</u>													
greements	: 23.05	15.62	46.01	9.77	16.85	13.03	11.36	31.						
and only and and irrigation	30.98	38.29	79.73	22.91	22.97	51.49	39.83	40.						
costs only and, irrigation, and	48.34	28.54	57 13	24.17	NA.	91.28	95.56	45.						
nonirrigation costs and and nonirrigation	24.50	23.23	46.51	16.91	21.54	20.05	13.43	33.						
costs only	64.44	42.46	106.68	31.06	44.07	13.79	25.32	46.						
verage share received: 1/	:													
Land only Land and irrigation	: 4.69 :	N A	5.42	3.25	5.03	NA		2						
costs only Land, irrigation, and	: 4.43 :	1.28	NA		ŊA.	NA •		12						
nonirrigation costs Land and nonirrigation		7.50	5.69		3.92	8.44		8						
costs only	: NA	.39	NA	3.56	2.37	13.49	3.90	28						



NA = Not applicable.

D = Insufficient data for disclosure.

1/ Mean per type of share rental agreement.

Table 7-Costs included in rice production share rental agreements for land and irrigation only, 1984

	:1	Kestesip;	ni:		:	Texas	: Texas		
Item	:	River	: Northeast :	Grand	: Southwest :	Upper	Lower	:California	: : Unite
	:	Delta	: Arkansas :	Prairie	: Louisiana :	Coast	: Coast	:	: State
	<u>:</u>		<u>:</u> :		<u>:</u> :		:	•	:
	:								
	:				Percent of a	greement	3		
Wells	:	100.0					_		
	:	100.0	98. 9	100.0	88.6	NA	130.0	0	96.7
Purchased water	:	0	0	0	0	NA	0	100.0	1.1
Surface water	:	u. 7	0	0	2.4	NA	0	0	
Pumps	:	75.1	74.8	100.0	82.9	NA	100.0	Ō	87.4
Pump repairs	:	61.1	<i>7</i> 7.5	100.0	91.0	NA	100.0	Ŏ	89.3
Motors	:	61.0	28. 2	100.0	88.6	NA	100.0	Ŏ	73.9
fotor repairs	:	18.0	28. 2	100.0	88.6	NA	100.0	Ö	72.4
Distribution systems	:	8.3	11.2	100.0	79.6	NA	0	ő	65.0
System repairs	:	0	112	100.0	53.7	NA.	Ö	Ŏ	60.4
Power or fuel	:	0	12.9	0	79.7	NA.	ŏ	Ŏ	17.0
	:						•	· ·	17.0
	:				Coefficient of	variatio	n		
	:			•			=		
l ells	:	NA	1.02	NA	9.73	NA	NA	NA	.74
urchased water	:	NA	NA.	NA	NA	NA.	NA NA	NA.	122.89
urface water	:	99.21	NA	NA	93.10	NA	NA NA	NA.	98.69
paps	:	21.19	19.75	NA	13.60	NA.	NA.	NA NA	
ump repairs	:	35.04	17.99	NA	9.20	NA	NA NA	NA NA	6.75
btors	:	35.04	53.21	NA.	9.73	NA NA	NA NA	NA NA	3.55 13.99
ctor repairs	:	64.59	53.21	NA.	9.73	NA.	NA NA		
istribution systems	:	99.83	94.32	NA.	14.18	NA.	NA NA	NA NA	14.51
ystem repairs	:	NA	94.32	NA.	25.95	NA NA	na Na	NA NA	19.51
ower or fuel	:	NA	91.69	NA.	14.18	NA NA		NA NA	20.98
	:			147	14.10	IVA.	NA	NA.	90.06

NA - Not applicable.



Table 8-Coats included in rice production share rental agreements for land, irrigation, and nonirrigation inputs, 1984

	:Mississippi	: :		: :	Texas	Texas	: :	
Item	: River	: Northeast :	Grand	: Southwest :	Upper	Lower	:California :	United
	: Delta	: Arkansas :	Prairie	: Louisiana :	Coast	Coast	:	States
	:	: :		: :			<u>:</u>	
	•			Percent of a	greements			
irrigation:	:							
Wells	: 100.0	96.9	85.8	60.3	0	42.7	19.7	76.0
Purchased water	: 0	0	0	23.6	93.4	49.3	67.1	15.2
Surface water	: 0	0	23.2	17.7	0	0	14.2	11.5
Pumps	: 63.4	38.9	92.4	73 . 8	7.5	44.6	45.4	63.8
Pump repairs	: 55.9	38.9	92.4	83.2	7.5	36.6	50.6	64.7
Motors	: 59.8	13.6	92.4	78.0	7.5	36.2	29.3	57.0
Motor repairs	: 58.7	3.1	92.4	78.0	7.5	20.2	39.3	53.0
Distribution systems		0	51.7	70 .6	15.0	30.1	28.3	32.4
System repairs	: 8.0	Ŏ	51.7	70.6	15.0	28.2	28.3	32.4
Power or fuel	52.4	11.5	83.4	78 . 0	15.0	30.1	23.2	51.8
ionirrigation:	. 52.4	11.5	0.4	70.0	13.0	50.1	23.5	-110
Seed	. 45.9	14.6	85.8	17.7	100.0	71.4	9.0	44.7
	: 73.3	99 . 2	100.0	66.7	92.5	77.4	61.8	86.3
Pertilizer								
Pesticide	: 34.2	24.3	93.4	59.3	100.0	77.4	58.4	60.0
Harvesting	: 0	0	0	Ú	0	8.5	0	.3
Hauling	: 0	8.4	0	17.8	33.8	30.6	17.1	8.6
Drying	: 94.6	22.0	34.6	54.8	80.3	73.3	85.8	65.5
Storage facilities	: 81.9	9.7	68.6	42.2	63.8	52.6	41.3	48.2
Storage operating	: 82.4	.8	75.2	42.2	73.7	61.1	19.1	46.2
Marketing	: 88.0	3.1	70.0	63. 9	72.8	67.2	11.0	48. 5
	:		Coe	fficient of va	riation			
Irrigation:	:							
Wells	: 23.02	9.65	12.75	23.57	NA.	29. 35	41.49	6.6
Purchased water	: NA	NA.	NA	37.94	10.66	28.25	15.51	35.1
Surface water	: NA	NA.	50.30	47.66	NA.	NA	49.65	54.0
Pumps	: 42.24	43.14	12.29	19.03	90.66	25.77	21.77	16.6
Pump repairs	52.96	47.36	15.82	26.58	93.85	33.50	22.46	17.1
Motors	52.02	70.28	15.82	26.95	93.85	28.81	26.84	17.7
Motor repairs	52.73	102.86	15.82	26.95	93.85	49.90	26.84	19.3
Distribution systems		NA.	27.52	30.94	68.41	31.16	34.17	29.7
System repairs	: 160.96	NA.	27.52	30.94	68.41	38.15	34.17	29.7
Power or fuel	: 52.73	82.25	15.25	26.95	59.13	31.31	39.57	19.4
onirrigatio.:	. 32.73	02.23	1.020	20.73	27.12	JI.JI	37.57	17.7
	. 42.21	61.20	10.00	47.60	374	15.86	60.00	19.1
Seed Fertilizer	: 42.31	61.20	10.82	47.62	NA 7.08	13.74	68.89 14.76	1.9
	: 22.07	0 . 75	NA C 70	15.61				
Pesticide	50.26	49.64	6.79	18.26	NA.	13.74	16.50	16.5
Harvesting	: NA	NA	NA.	NA (7.66	NA 20. 70	88.88	NA 45 00	94.8
Hauling	: NA	99.70	NA.	47.66	38.78	36.67	45 .8 0	56.8
Drying	: 22.36	56.85	15.77	20.23	21.92	13.41	9.85	17.1
Storage facilities	: 19.40	92.92	17.42	26.75	27.10	19 .5 8	23.87	18.2
Storage operating	: 19.61	94.84	16.61	26.75	21.96	15.77	38.97	19.7
Marketing	: 20.93	84.96	20.01	20.63	23.11	14.51	48.36	21.0

NA = Not applicable.



Table 9—Cash rental agreements for land in rice production, 1984

	:M	Lesiesipr	4 :	-		<u> </u>	-	Texas	-	Texas	<u> </u>	_	
Item	:	River Delta	: Northeast : Arkansas :		Grand Prairie	Southwest Louisiana	:	Upper Coast	:	Lower Coast	California	•	United States
	:					Num	ibe	<u>r</u>					
Agreemen* 3	:	1,054	322		421	85		237		191	184		2,494
	:					Percent of	aį	greens					
Including addionau input costs	:	10.0	18.0		42.2	86.0		0		24.8	19.0		19.9
	:					Dollars	per	acre					
Average rent under egreements: 1/	:												
For land only Including additional	:	57.00	D		63.40	D		33.20		41.20	121.50		59.10
input costs	:	D	D		60.80	79.60		NA		50.50	144.00		74.80
	:					Coefficient o	of	variation					
Agreements	:	49.55	38.2.		33.91	41.98		13.91		15.39	22.93		30.67
Including additional input costs	:	66.34	88.60		40.63	11.23		NA.		30.24	52.16		45.43
Average rent under agreements: 1/	:												
For land only Including additional	:	1.72	NA.		51.23	NA		46.49		7.15	8.80		37 .7 8
input costs	: :	NA	NA.		15.98	25.65		NA		15.71	4.90		15.76



NA = Not applicable. D = Insufficient data for disclosure.

^{1/} Mean per type of cash rental agreement.

Table 10-Levee surveying and other technical services hired for rice production, 1984

	:M	ississippi	L:		:		:		:	Texas	:	Texas	:	:	_
Item	:	River	:	Northeast	:	Grand	: 5	Southwest	:	Upper	:	Lower	:Californi	а:	United
	:	Delta	:	Arkansas	:	Prairie	: I	outstana	:	Coast	:	Coast	:	:	States
	:		:	<u>:</u>	:		:	:		:		:	:		
·	:												·	-	
	•							Percent o	of a	acreage					
	:														
Custom-hired	:														
surveying for leveec	:	61.1		77.9		96.4		14.8		52.3	}	44.0	92.	3	55.1
Custom-hired	:														
technical services 1/	:	4.6		9.0		2.2		1.4		23.2	2	9.8		9	7.8

2.99

3.32

76.54

7.53

1.59

52.07

61.16

16.24

Coefficient of variation

3.19

11.18

37.48

7.64

3.18

11.49

46.20

7.59

5.69

26.54

76.71

33.82

3.34

9.23

52.35

7.16

Dollars per acre

3.43

9.82

45.37

9.99

3.65

25.56

43.44

5.11

Soil tests, tissue analysis, and scouting. Mean per farm producing rice and reporting item.

Average cost of custom: levee surveying 2/

surveying for levees

technical servi es 1/:

Average cost of custom: levee surveying 2/

Custom-timed

Custom-hired

Table 11—Field operations in rice production, 1984 $\underline{1}/$

Item	:Mi	ssissipp		:	:	: Texas	:	Texas	:	:
TOSM	•	River Delta	: Northeast : Arkansas	Grand	: Southwest	- E E	:	Lower	:California	
	•	nerra	: Arkansas	Prairie	: Loui/:iana	: Coast	:	Coast	•	: States
	÷		- •	<u> </u>	•	<u> </u>	<u> </u>		<u>:</u>	<u>: </u>
	:				Time	over 2/				
	:				1100	over 2				
All field operations	:	5.29	7.87	6.82	4.29	5.9 1		9.33	5.62	6.3
Tillage	:	3.01	5.38	4.48	2.86	4.48		6.75	3 . 65	4.1
Ploring	:	.09	.10	.02	.44	.07		.21	1.19	.2
Disking	:	1.30	·2.68	1.96	1.38	1.88		2.30	1.91	1.9
Cultivating	:	.60	.73	1.56	.47	1.21		1.41	.06	.70
Harrowing	:	.6 1	.10	.57	.44	1.10		2.07	.38	.5
Bedding and shaping	2:	.01	.05	.06	•01	.05		.01	.06	.0
Soil packing	:	.32	1.16	.17	.08	.19		.75	.05	.4.
Other tillage	:	.08	.56	.14	.34	0		0	0	.1
Fertilizer	:				•••	ŭ		v	• •	•11
and pesticide	:									
applications	:	.11	.25	.12	•21	.02		.04	.88	.2
Seeding and planting	:	1.21	1 .26	1.31	.25	.44		1.00	.16	.90
Harvesting	:	.96	•98	.91	•97	.97		1.54	.93	.9
U	:			***	• • • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • • •		1.57	• > 5	• 3.
	:				Coefficient	of variati	<u>on</u>			
All field operations	•	9.88	11.74	4.42	7.23	13.77		5.79	4.94	12.8
Tillage	:	25.84	18.55	6.12	9.05	15.94		7 . 11	8.18	20.29
	•		ورورو	V•12	7.03	20074		/ • II	6.10	20.2

 $\frac{1}{2}$ / Excluding operations custom hired. Acres covered in operation divided by total acres.



Table 12—Size of implements commonly used in rice production, 1984

	:Miesiesippi	: :			: Texas :	Texas	-	3
Item	: River	: Northeast :	Grand	: Southwest	: Upper :	Lower	:California	United
	: Delta	: Arkansas :	Prairie	: Louisiana	Cosst:	Coast	:	States
	:	· · · · · · ·			eet		·	
werage width: 1/	:				_			
Chisel plow	: 23.1	19.9	NA.	18.7	18.0	17.0	17.3	18.2
Regular tanden diak	: 21.6	22.2	20.0	215	18.0	17.3	18.6	21.0
Field cultivator	: 27.5	30.6	22.7	19.4	24.3	28.2	23.1	25.
Spike-toothed harrow		NA.	NA	19.1	20.0	21.9	23.9	21.2
Roller packer	: 17.7	20.5	14.4	10.4	25.8	28.4	17.5	20.2
Landali	: 19.5	21.0	NA	12.7	NA	NA.	NA.	20.0
Plain disk	:							
drill seeder	: 19.9	18.5	15.5	16.2	17.8	16.6	16.1	17.0
Landplane	: 17.2	17.8	23.9	17.1	26.2	20.3	17.5	18.8
Levee plow/disk	6.2	10.5	7.0	7.8	10.1	10.9	13.3	8.4
				Horse	power			
werage	:							
power takeoff: 1/	i . 20c 7	1/0 3	AT#	150.0	101.0	124 7	160.0	160
Chisel plow	: 206.7	142.3	NA 155 5	159.0	191.0 169.6	136.7	168.0	169.:
Regular tanóen diak	: 165.6	171.3	155.5 163.9	176.7		153.9	173.2	165.4
Field cultivator	: 172.5	181.1	163.9 NA	150.4 139.8	187.6	155.4	195 . 2 155 . 6	170.
Spike-toothed harrow		NA 179. 2			140.0	138.5		141.0
Roller packer	: 167.1	178.2	115.2	216.2	107.6	120.7	129.6	165.
Isndall Plain disk	: 145.8	150.7	NA	148.5	NA	NA.	NA.	149.4
	. 1/0 1	127 5	104.0	120.0	122.0	110.0	100.0	107
drill seeder	: 149.1	137.3	104.2	132.0	122.9	119.8	122.8	127.3
Landplane	: 175.9	153.4	162.1	170.3	163.5	155.1	173.6	164.7 143.3
Ievee plou/disk	: 139.3	143.6	146.2	149.1	146.9	133.7	113.8	143.
	:			Coefficien	t of variation	<u>m</u>		
verage width: 1/	:							
Chisel plow	: 6.56	22.17	NA	10.09	13.54	11. 97	3.81	13.0
Regular tandem disk	: 7.56	30.46	NA.	18.78	10.44	7.91	4.46	19.5
Field cultivator	: 3.96	6.31	4.28	10.92	4.57	2.76	13.20	9.7
Spike-toothed harrow	: 7.77	NA.	NA	5.78	6.95	9.94	6.92	6.8
Roller packer	: 9.14	4.14	2.49	25.77	12.22	6.42	4.50	3.4
Landall	: 5.60	5.77	NA.	38.90	NA.	NA	NA.	2.6
Plain diak	:							
drill seeder	: 2.49	5.42	10.24	12.73	13.63	5.75	8.33	5.1
Landplane	: 7.37	14.82	33.51	4.80	16.98	11.85	3.70	3.2
Levee plow/disk	: 3.85 :	2.89	8.63	4.10	4.94	7.09	25.67	4.6
werage power takeoff: 1/	:							
Chisel plow	. 7.56	30.46	NA.	18.78	10.44	7 .9 1	4.46	19.5
Regular tandem disk		6.25	5.03	3.85	3.91	3.82	9.80	5.4
Field cultivator	: 2.42	10.60	4.85	4.69	7.72	5.31	12.15	6.3
Spike-toothed harrow		10.00 NA	NA	12.39	7.32	7.26	7.78	19.6
Roller packer	: 8.02	12.55	11.05	17.83	15.39	6.78	7.76	11.8
Iandall	: 3.39	5.83	NA.	6.04	NA.	NA.	NA.	4.9
Plain disk	:	5.00	147	4.0 7		•=•	•=-	707
drill seeder	· 3.97	8.60	5.68	12.67	9.82	4.85	43.87	6.4
Landplane	: 4.92	11.20	5.90	4.42	7.40	6.56		11.1
Levee plow/disk	: 3.85	2.89	8.63	4.10	4.94	7.09	25.67	4.6
weree how may	. 5.00	4.00	J.W	7010	7077			7.0

NA = Not applicable.

1/ Mean per farm producing rice and reporting item.



Table 13—Seeding methods and seeding rates for rice production, 1984

	:M	ississip	nd: :		: :	Texas	Texas	:	. — —
Item	:	River	: Northeast :	Grand	: Southwest :		Lower	:California	United
	:	Delta	: Arkansas :	Prairie	: Louisiana :		Coast		States
	:		<u>:</u> :		:			_	Calces
	:							· <u>·</u>	<u> </u>
	:				Percent of	facrease			
	:								
Seeded from:	:								
Airplanes -	:								
Flooded land-	:								
Wet seed	:	2	0	0	52	9	0	94	16
Dry seed	:	2	0	0	22	26	2	1	4
Dry land	:	9	3	0	4	30	12	2	2
Drill seeders	:	71	41	94	16	26	80	ĺ	53
Broadcast seeders	:	15	56	6	6	9	6	2	21
	:				J		U	2	21
	:				Pounds	per acre 1/	,		
	:								
pplied from:	:								
Airplanes—	:								
Flooded land-	:								
Wet seed	:	D	NA.	NA	1.35	125	NA.	160	120
Dry seed	:	D	NA.	NA	145	113	D	D	136
Dry land	:	135	140	NA	139	117	122	מ	137
Drill seeders	:	105	122	116	126	95	105	D D	134
Broadcast seeders	:	124	142	131	137	127	119	מ	114
	:				237	127	113	ע	138
	:				Coefficient	of variati	Orn.		
eeded from:	:					or variati	<u> </u>		
Airplanes—	:								
Flooded land-	:								
Wet seed	:	61.59	NA.	NA	11.63	36,42	NA	2 50	00.00
Dry seed	:	61.67	NA.	NA.	22.96	18.69	91.76	2.58	26 .86
Dry land	:	39.82	78.41	NA.	51.82	18.54	32.63	71.64	33.89
Drill seeders	:	12.59	29.17	3.98	26.98	18.90		96.08	51.65
Broadcast seeders	:	42.16	22.37	67.64	48.78		5.98	81.30	23.54
plied from:	:	.2020	22.57	07.04	40.70	36.56	45.27	96.82	44.59
Airplanes—	:								
Flooded land-	:								
Wet seed	:	NA	NA.	NA	1 17	2 12	•		
Dry seed	:	NA.	NA.	NA NA	1.17 1.49	3.13	NA	1.49	1.20.
Dry land	:	7.18	21.48			4.38	NA 	NA	1.79
Drill seeders	:	2.29	5.52	NA 2 26	2.62	4.48	5.37	NA.	13.10
Broadcast seeders	:	3.76		2.26	5.52	4.10	1.90	NA.	2.14
	:	J./0	6.35	8.78	4.12	7.02	7.36	NA.	4.89

NA = Not applicable.



D = Insufficient data for disclosure.

^{1/} Mean per farm producing rice and reporting item.

Table 14-Pertilizer applied in rice production, 1984

	:M	ississipp	d:	:		:	:		Texas	:	Texas	:	:	-
Item	:	River	: Northeast	:	Grand	:	Southwest:		Upper	:	Lower	:Californi	а:	United
	:	Delta	Delta : Arkansas		Prairie	:	Louisiana:	Coast		:	Coast	:	:	States
	:		:	:		:	:			:		:	:	
	:								,					
	:						Pounds	per	r acre					
	:													
Nutrient:	:													
Nitrogen	:	160.2	101.1		122.2		94.3		125.9		134.4	90.4	-	118.5
Phosphorus	:	1.4	5.3		5.1		49.2		42.6		42.9	41.8	}	20.0
Potash	:	3.1	14.6		8.0		41.5		22.2		27.1	1.9)	14.3
	:													
	:						Coefficient	. 0	f variat	ion				
	:													
Nutrient:	:													
Nitrogen	:	18.01	9.08		9.27		4.49		6.47		33.33	7.24	ŀ	9.27
Phosphorus	:	58.17	45.74		43.60		5.19		9.09		5.40	8.77	'	27.96
Potash	:	49.00	46.09		42.79		7.12		15,11		6.67	45.80)	38.69
	:													

Table 15-Pesticide applications and costs in rice production, 1984

	:M	ississip	ni:	:		:	:	Texas	:	Texas	:	
Item	:	River	: Northeast	:	Grand	: Southwest	: :	Upper	:	Lower	:California	United
	:	Delta	: Arkansas	:	Prairie	: Louisiana	:	Coast	:	Coast	: :	States
	:_		:	:		:	:		:		:	
	:											
	:					Percer	it o	f farms				
	:											
Pesticides exclusively:	:											
Custom applied	:	42.1			57.8	56.1		73.4		77.5	66.8	61.5
Operator applied	:	32.7	7.0		•2	7.2		1.7		1.7	11.5	10.6
	:											
Pesticides both custom	:				_							
and operator applied	:	7.6	2.1		.8	3.4		1.6		4.5	6.4	3.5
	:											
	:					Dollars	per	acre				
	:											
Cost of pesticides: 1/	:							06.44			27.70	07.07
Custom applied	:	21.38			29.74	17.76		36.44		44.82	37.78	27.24
Operator applied 2/	:	12.87	1.46		.3 5	7.04		.38		2.91	6.00	5.24
	:											
	:					Coefficien	tot	variátio	<u>n</u>			
	:											
Pesticides exclusively:	:							7.10			0.00	22.72
Custom applied	:	28.43			32.86	11.27		7.43		6.45	8.08	23.42 58.88
Operator applied	:	53.66	41.57		94.90	55.18		91.94		91.76	32.38	30,00
	:											
Pesticides both custom	:		.a=		100 10	.0. /.		01.01		£0. 70	// 20	F4 00
and operator applied	:	52.95	68.57		102.19	101.41		91.94		52.40	44.32	56.92
Cost of pesticides: 1/	:		10 10		00.00	15 50		17.60		10 /7	15 /1	10 /0
Custom applied	:	17.52			23.18	15. 50		17.69		10.47	15.41	12.42
Operator applied $2/$:	39.66	52.43		71.35	61.61		67.63		53.13	45.66	52.40
	:											

 $[\]frac{1}{2}$ On farms producing rice and reporting item. $\frac{2}{2}$ Materials only.



Table 16—Hand labor in rice production, 1984

	:Mississip	pi:	:	: :	Texas	: Texas	:	
Item	: River	: Northeast :	Grand	: Southwest :	Upper	Lower	:California	United
	: Delta	: Arkansas :	Prairie	: Louisiana :	Coast	Coest	·	States
	:	:		:		:	:	Juites
	:							
	:			Hours	per acre			
	:							
All hand labor	: 8.62	5.24	2.41	3 .8 7	7.34	5.00	6.01	5.20
burning straw	: .59	.10	.04	.07	.04	.01	.13	.18
Flagging for aerial	:							
applications	: .65	.27	.12	.25	.16	.24	•01	.27
Cleaning	:							,
field ditches	: .90	.26	.08	.27	.54	.24	.14	.34
Installing levee	:				•••	•21	• 14	• • • •
gates, spills,	:							
and boxes	: 1.17	.71	.30	.35	.56	.59	.78	.65
Plushing	: .61	•61	.16	.39	.97	.53	.21	.44
Flooding	1.54	.91	.27	.88	1.78	1.32	1.00	.93
Walking levees and	:	• • • • • • • • • • • • • • • • • • • •	• • • •	.00	1.70	1.32	1.00	.93
attending water	1.44	1.58	1.01	.72	1.19	1.28	1 10	1 00
Outting levees	:	1.30	7.07	• 12	1.19	1.20	1.10	1.23
and draining fields	88	.42	.20	40	1 07	40	***	
Other hand labor	84	.38	.23	.40	1.07	.49	.75	.52
VEREZ TRANS 1200E	: .04	.30	.23	.54	1.03	.30	1.89	.64
	:			Coefficient o	of variation	<u>on</u>		
All hand labor	: 31.18	20.15	35.05	35.35	11.22	22,95	20.98	11.26



Table 17—Sources and costs of irrigation water in rice production, 1984

	:Mississippi	. :	:	:	Texas :		: :	
Item	: River	: Northeast :		Southwest:	Upper :	Lower	:California :	
	: Delta	: Arkansas :		Louisiana:	Coast	Coast	:	States
	<u>:</u>	<u>: :</u>	:	<u></u>	<u>:</u>		<u>:</u>	
	:			Domo				
	•			Pero	air.			
•	:							
ice acreage	•							
irrigated from:	. 00 /	07.0	77.5	46.1	25.6	51.8	4.0	65.7
Wells	: 88.4	97.8			57 . 5	48.2	85 . 0	21.4
Canals 1/	: .2	0	1.4	21.8	37.5	40.2	W 10	
Surface sources—	:							
Free flowing to	: _		•	2	1.9	(2 .3	.7
operation	: .7	.1	.1	.2				12.5
Pumped by own pump		4.2	21.0	31.9	15. 0	0 0	7.4 1.3	.2
Pumped by others	: .3	0	0	0	0	U	1.0	•2
Farms irrigated from:								
	. 75.8	88.5	77.6	41.5	16.0	46.6	3.2	65.2
Wells only	: .2	0	.2	22.8	64.6	47.2	74.3	14.2
Canals only		4.2	21.0	31.9	15.0	0	7.4	12.5
Surface sources only				12.9	6.9	6.2	15.5	12.6
More than one source	: 15.2	11.5	12.4	12.9	0.9	0.2	2.3	12.0
	:			Dollars	per acre			
Average cost of	:							
purchased water 2/	: D	NA	D	47.32	54.46	71.65	24.83	40 .6 3
• –	:							
	:			Coefficient	of variation	Ī		
Rice acreage	:							
irrigated from:	:							
Wells	: 4.55	3. 07	9.51	16.23	32.10	3.05د	33.27	5.3
Canals 1/	: 68.34	NA	91.18	29 .3 0	14.19	14.02	4.34	27.5
Surface sources—	:							
Free flowing	:							
to operation	: 52.72	101.85	102 .46	97.44	71.18	NA.	92.34	49.3
Pumped by own puon	s: 36.29	42.94	33.95	24.63	29.75	NA	35.4 1	32.0
Pumped by others	: 101.92	NA	NA	NΛ	NA.	NA	72.86	32.0
	:							
Farms irrigated from:	. 10.00	F 30	11 76	1/ 77	20 //0	12.75	56.57	5.8
Wells only	: 10.90	5 .7 0	11.76	14.77	28.48		3.88	27 . 0
Canals only	: 67.40	NA.	94.90	19.00	8.30	11.12		38.9
Surface sources only		NA 10 (T	56.01	23.09	30.87	NA 45.27		34.5
More than one source	2: 38.79	43.67	47.29	31.2 5	40 .34	45.27	25.42	J4.J
Average cost of	:			05.55	10.00	15 //	7.05	15 9
purchased water 2/	: NA	NA.	NA.	26.61	13.01	15.44	7 . 95	15.2

NA = Not applicable.



D = Insufficient data for disclosure.

^{1/} Water purchased from canal company, association, or irrigation district. $\overline{2}/$ On farms producing rice and reporting item.

Table 18-Irrigation numps: Power types and pumping rates in rice production, 1984

	:Mississippi	:		: :	Texas	: Texas	:	:
Item	River	: Northeast :	Grand	: Southwest :		Lower	:California	•
	: Delta	: Arkansas :		: Louisiana :				
	:	:		: musiaia :		: Coast		: States
	:			·		<u> </u>		<u> </u>
	:			Numb	<u>er</u>			
Pumps:	:							
Total	: 3,189	5 ,30 6	4,554	1,390	266	200	700	
Average 1/	: 1.6	1.9	2.0	1.1	.6	308	729	15,742
	:			1.1	•0	.8	.8	1.6
	:			Perc	ent			
Pumps powered by:	•							
Gasoline	: .2	.3	0	4.4	1.0		_	
Liquefied		•5	U	4.4	1.9	4.4	0	.7
petroleum gas		2/ 2						
Diesel	: 6.3	24.3	7.3	7.8	7.7	3.8	0	12.5
	: 47.3	34. 2	34.7	51.3	37.7	17.2	1.1	36.7
Electricity	: 45.5	40.8	48.1	5 .3	36. 1	22.6	97.8	42.9
Netural gas	: 0	.3	8.4	29.2	16.6	52	0	
Tractor	: .7	O	1.5	2	0	0		6.4
	:		2.0	~	v	U	1.1	.8
	:			Gallons per	minute			
verag pumping rate	• •							
pumps powered by: 2/	:							
Gasoline	: D	D	NA	D	ъ	_		
Liquefic	:	-	147	D	D	D	NA	2,87
petroleum gas	: 2,120	1 150	000					
Diesel		1,159	999	1,160	1,350	1,370	NA.	1,23
	2,076	1,371	1,141	2 ,3 75	2 ,6 67	1,427	D	1,64
Electricity	: 1,765	1 ,33 7	98 9	2 ,288	1,351	1,985	2,532	1,45
Natural gas	: NA	D	1,716	2,050	1,800	1,752	i JA	1,86
Tractor	: 1,500	NA.	80 0	1,744	NA.	1,752 NA	D	1,23
	:			Confelatore	£		_	_,
	:		•	Coefficient o	r variation			
prope:	:							
Total	: 27.49	27 .2 9	34.04	12.14	18.20	18.11	15.37	25.17
Average 1/	: 17.58	32.00	32.04	11.50	20.15	18.49		
umps powered by:	:			11.50	20.13	10.47	19.02	21.04
Gesoline	: 66.74	100.66	NA.	(7.0)	00.00			
Liquefied	. 00.74	100.00	IVA.	67.96	89.03	90 .38	NA.	65.35
petroleum gas	. 25.07	25 15						
	: 35.07	35.45	49.42	45 . 59	61.62	73. 72	NA.	50.57
Diesel	: 27.77	25.3 1	32.50	11 .5 6	16.25	29.28	9 3. 57	19.30
Electricity	: 19.92	28.36	33 .88	46.25	25.57	29.10	NA	26.58
Natural gas	: NA	100.66	50.30	18.92	43.57	14.53	NA.	
Tractor	: 57.71	NA	82.49	88.68	NA.			36.99
verage pumping rate	:		02.43	w.w	IVA	NA	9 3. 57	67.53
cumps powered by: 2/	•							
Gasoline	. 374	***	***					
Liquefied	: NA	NA	NA.	NA.	NA.	NA	NA.	104.95
	i	_						
petroleum gas	: 19.12	26.78	36.08	37.83	10.71	62.46	NA	19.05
Diesel	: 29.67	50.47	51.60	26.13	21.16	21.46	NA.	28.94
Electricity	: 24.92	14.46	14.79	45.68	23.29	36.82		
Natural gas	: NA	NA.	45.74	16.97	66.30		13.81	10.47
M	: 16.62	NA.	34.50	12.60		19.77	NA	43.68
	- 24.02	1,86,7	J4.JU	17.00	NA.	NA.	N A	38.61

NA = Not applicable.

^{1/} Mean per farm producing rice.
2/ Mean per farm producing rice and reporting item.



D = Insufficient data for disclosure.

Table 19—Tractors: Power takeoff, type of fuel, and hours of use, by drive type on farms producing rice, 1984 $\underline{1}'$

	:Mississippi	l: :			· Texas :	Texas	-	3
Item	: River	: Northeast :		: Southwest	••	Iower	:California	United
	: Dita	: Arkaneas :		: Louisiana :	· Coast :	Coast		States
	:	-	,	Num	ber			
	:							
ractors: Two-wheel drive								
Total	: 6,110	8,279	7,890	3,810	1,056	1,175	732	29,07
Average 2/	: 3.0	3.0	3.4	3.1	2.6	3.0	,32 .1	29,07
Four wheel drive-	:	3.0	317	3.1	2.0	3.0	••	۷.
Total	: 1,669	1,793	716	881	702	43	710	6,90
Average 2/	: .8	.6	.3	.7	1.7	1.1	.8	•,,,,
Crader -	:							
Total	: 13	0	69	38	10	0	1,811	1,94
Average 2/	: 3/	NA.	3/	<u>3</u> /	3/	NA	2	΄.
Four wheel assisted	-:		-	_				
Total	: 285	60	116	72	61	0	35	63
Average 2/	: .1	<u>3</u> /	.1	.1	.1	NA	<u>3</u> /	•
	:			Horse	power			
verage	:							
power takeoff: 4/	:							
Two-wheel drive	: 137.6	125.2	131.7	116.9	117.8	111.1	97.1	127.
Four wheel drive	: 182.4	210.5	181.1	172.4	187.5	164.3	186.7	188.
Crawler	: 137.7	NA.	116.1	76.0	78.0	NA.	167.9	163.
Four-wheel assisted	204.8	196.6	85.0	125.9	229.6	NA	123.8	170.
	:			Per	<u>vent</u>			
owered by diesel:	:							
Two-wheel drive	98.3	87.3	96.8	95.3	96.9	87.0	93.8	93.
Four-sheel drive	: 99.8	100.0	100.0	100.0	100.0	95.3	96.1	99.
Crawler	: 100.0	NA	100.0	100.0	100.0	NA.	100.0	100.
Four-wheel assisted	: 100.0	100.0	100.0	100.0	100.0	NA	100.0	100.
	•			Ho	urs			
verage use: 4/	:							
Two-wheel drive	: 616.6	476.1	652.2	385.2	468.4	418.6	292.4	534.
Four-wheel drive	728.9	534.7	485.1	534.7	876.9	484.1		589.
Crawler	: 267.7	NA.	346.5	375.1	450.0	NA.		234.
Four wheel assisted		316.8	450.0	344.0	705.6	NA	75.9	525.
	•			- · · · -			-	

Table 19—Tractors: Power takeoff, type of fuel, and hours of use, by drive type on farms producing rice, 1984 - Continued 1/

	:Missis sipp	d: :		: :	Texas :	Texas	: :	
Item	: River	: Northeast :	Grand	: Southwest :	Upper	-	:California :	
	: Delta	: Arkansas :	Prairie	: Louisiana :	Coast		·	States
	<u>:</u>	<u>:</u> :		:	:	•••••	:	Juliu
	:							
	:			Coefficient	of variation	l		
Tractors:	:					•		
Two-wheel drive-	:							
Tota_	: 34.59	28.3 9	37.97	10.59	11.72	11.32	11.86	27.78
Average 2/	9.78	6.74	7.30	6.46	7.31	6.75	11.05	6.26
Four wheel drive-	:				, , , ,	0.73	11.05	0.20
Total	: 21.99	42.02	29.06	18.75	11.80	15.99	11.42	40.52
Averege 2/	: 31.00	18.80	40.60	17.70	9.50	13.30	10.90	31.30
Crawlers	:			4.70	7.50	الد.س	m·20	31.30
Total	: 53.31	NA	77.05	60.12	62.67	NA.	3.65	
Average 2/	: 60.03	NA.	82.18	60.06	62.41	NA NA	8.65	17.04
Four wheel assisted	:		02.10	00.00	02.41	NA	8.07	29. 51
Total	: 44.69	65.76	69 .59	66.82	47.94	374	70.01	20.01
Average 2/	57.34	70.95	69.59	72.31	52.75	NA NA	79.21	39.34
- -	:	70175	07.37	72.31	32.73	NA	93.56	59. 61
verage	:							
power takeoff: 4/	:							
Two-wheel drive	3.17	2.91	5.09	2.00	0.01	0.70		
Four shee! drive	7.09	4.10	9.65	2 .9 9 5 .88	2.81	2.76	5.55	3.61
Craster	44.52	NA	25 .2 9		5.76	5.14	3.28	5.46
Four-wheel assisted	5.15	37 . 86		27.94	1.65	NA	5.29	4.80
	• • • • • • • • • • • • • • • • • • • •	37.00	NA	37.36	19 .34	NA.	8.40	17.54
owered by diesel:	•							
Two-wheel drive	: 1.12	6 .36	0 10					
Four wheel drive	6.20		2.12	1.44	1.52	4.01	3.06	5.48
Cri sler	: 0.20 : NA	na Na	NA NA	NA NA	NA.	3.67	2.70	0.11
Four wheel assisted	: NA : NA		NA.	NA.	NA	NA.	NA.	NA.
* AT MEDET COURSE(G)	· NA	NA.	NA.	NA	NA.	NA.	NA.	NA
verage use: 4/	•							
Two-wheel drive	. 10.60	0.10	40.40	_				
Four-wheel drive	18.63	9.13	15.48	8.11	12.79	7.72	16.57	8.80
Crawler Grive	15.11	12.39	14.34	15.76	18.17	6.27	14.13	13. 57
	8.99	NA	15.69	31 .8 9	7.14	NA.	9.82	10.16
	9.51	14.13	7.85	62.95	20.06	NA.	26.83	9.76
	<u> </u>							

NA = Not applicable.

32

^{1/} All uses on farms producing rice.
2/ Mean per farm producing rice.
3/ Less than one-tenth.
4/ Mean per type of tractor.

Table 20-Tractors: Ages and how purchased, by drive type on farms producing rice, 1984 $\underline{1}/$

	:Mississipp	<u>:</u>		: :	Texas :	Texas	: :	
Item	River	: Northeast :	Grand	: Southwest :	Upper :	Lower	:California :	United
	: Delta	: Arkaneas :		: Louisiana :	Coast :	Coast	: :	
	<u>:</u>	<u>: _ :</u>		<u>:</u> :	:		<u>:</u> :	
	:			Year	<u>: 2</u> /			
Average year	:							
of manufacture: 3/	:							
Two-wheel drive	: 77	73	74	74	73	72	71	74
Four wheel drive	: 78	78	78	78	76	75	75	77
Crawler	: 71	NA To	70	76	78	NA.	59	60
Four-wheel assisted	: 79 :	79	83	86	77	NA	59	80
	:			Perce	<u>nt</u>			
Bought new:	:							
Two-wheel drive	: 63.8	53.9	69.0	55.1	62.6	5 5. 5	35.0	60.1
Four-wheel drive	: 56.3	33.9	70. 0	78 . 9	61.0	56.1	58.9	55.5
Crawler	: 32.3	NA.	0	52.2	50. 0	NA.	31.0	30.4
Four-wheel assisted	: 45.2	61.3	100.0	100.0	54. 7	NA.	0	61.5
Bought used:	:							
Two-wheel drive	: 33.6	42.7	29 .6	43.3	37.4	41.8	46.7	37.2
Four-wheel drive	: 41.6	60.4	22.9	18.9	39	43.9	28.9	40.2
Crawler	: 67.7	NA.	100.0	47.8	50	NA.	56.8	58.2
Four wheel assisted	53.3	30.7	0	0	33.6	NA	40.0	32.6
Leased: Two-wheel drive	:	2.5			•		10.0	
	2.6	3. 5	1.4	1.6	0	2.7	18.3	2.7
Four-wheel drive Crawler	: 2.2 : 0	5.7	7.1	2.2	0	0	12.3	4.3
Four-wheel assisted	: 0:5	NA O O	0 0	0 0	0	NA NA	12.2	11.4
LOTE_MURET SERIEGE	: 1.5	8.0	U	U	11.7	NA	60.0	5.9
	:			Coefficient o	f variation			
Average year	:							
of manufacture: 3/	:							
Two-wheel drive	: 1.37	2.45	1.88	1.06	.76	1.05	4.13	1.8
Four-wheel drive	: 1.25	4.34	7 .39	2 .3 2	.46	.71	2.6 5	1.5
Crawler	: 3.68	NA	1.55	.93	2.47	NA	3.74	4.9
Four-wheel assisted	: 1.72	2.71	NA	2 .71	1.9 8	NA.	26.83	.9
Bought new:	:	0						
Two-wheel drive	18.78	77.87	18.29	10.08	9.62	10.91	20.64	13.5
Four-wheel drive	35.89	89.15	29.01	22.17	14.84	20.79	14.89	79.8
Crawler	: 49.19	NA 22 (2	NA NA	6. 52	64.26	NA.	18.26	85.1
Four wheel assisted Bought used:	: 46.25	23.42	NA	9.51	56.29	NA	NA	17.9
Two-wheel drive	· 28.87	39.58	72.13	11.99	14.10	12.58	16.80	42.2
Four-wheel drive	: 46.33	24.09	47.20	40.59	15.92	15.72	18.59	17.6
Crawler	: 63.42	24.09 NA	34 .5 0	111.73	64.26	NA	12.03	59.9
Four wheel assisted	: 20.12	47.00	34.30 NA	111.73 NA	39.23	NA NA	3.91	74.6
Lessed:	: 20.12	47 100	167	1467	ليكه در	1447	J. 71	/
Two-wheel drive	52.03	86.89	97.70	57.11	NA.	55.14	32.35	66.2
Four-wheel drive	59.94	110.10	106.28	102.25	NA NA)).14 NA	32.98	91.4
Crawler	: NA	NA.	NA	NA	NA.	NA.	26 .3 8	88.3
Four wheel assisted		113.74	NA	NA.	79.88	NA.		83.3
LOUI_MIGET SESTETED	: 104.33	113.74	NA.	NA.	/9.NB	NA.	40.77	83



NA = Not applicable.

1/ All uses on farms producing rice

2/ Final two digits only.

3/ Mean per purchased tractor.

Table 21-Combines: Age and how purchased, by drive type in rice production, 1984

	:Mississipp	i: s		:	Teras	: Texas		:
Item	: River	: Northeast :	Grand	: Southwest :	Upper	Lower	California	•
	: Delta	: Arkeness :	Prairie	: Louisiana :	Coast	i Const		State
	<u>: </u>	<u>: </u>		: :	_	:		:
	•		<u>=</u>					
	:			Numi	ber			
	:							
combines:	•							
Two-sheel drive-	:							
Total	2,070	1,749	2,544	1,330	517	726	37	8,972
Average 1/	1	.6	1.1	1.1	1.3	1.9	<u>2</u> /	,
Four-wheel drive-							_	
Total	1,067	77 0	635	349	272	95	15	3,203
Average 1/	• •5	.3	.3	•3	•7	.2	<u>2</u> /	.3
Track drive	•						_	
Total :	208	0	0	0	0	7	1,166	1,381
Average 1/	.1	NA.	NA.	NA	NA.	<u>2</u> /	1.3	.1
Combination drive-3/	3					-		
Total	6	7 17	0	0	5	0	346	1,073
Average 1/	<u>2/</u>	.3	NA	NA.	NA	NΑ	.4	.1
:	3							
	;			Year	4/			
verage year	,							
of manufacture: 5/	!							
Two-wheel drive	78	76	75	76	74	76		
Four sheel drive	80	80	75 79	76 80	7 4 78	75	77	76
Track drive	79	NA.	NA	NA	76 NA	80	81	80
Combination drive	80	79	NA.	NA.	NA. 81	79	74	75
	•	,,	1407	MA	OT	NA	77	78
•				Perce	nt			
anght new:					_			
Twysheel drive	68. 9	24.0	50.7					
Four sheel drive	64.6	34.8 69.3	58. 7	53.7	55.9	54.2	19.1	55.
Track drive	70.6		65.1	86.4	75.0	81.5	100. 0	69.
Combination drive	100.0	NA 100.0	NA NA	NA NA	NA 100,0	100.0	53.7	56.
						NA	62.3	87.8

Continued-



Table 21-Combines: Age and how purchased, by drive type in rice production, 1984-Continued

	:M	ississipp	<u>d:</u>	:		:		:	Texas	:	Texas	:	:	
Item	:	River	: Nor cheast	:	Grand	:	Southwest	:	Upper	:	Lower	:California	:	United
	:	Delta	: Arkansas	:	Prairie	:	Louisiana	:	Coast	:	Coast	:	:	States
	_:	_	:	:		:		:		:		:	:	
	:											<u> </u>		
	:						Coefficien	t (of variati	.on				
	:													
Combines:	:													
Two-wheel drive-	:													
ota1	•	29.90	16.72		31.46		12.43		14.01		11.25	49.20		22.17
Average $1/$:	28.48	29.4 0		26.52		10.17		12.49		8.43	74. 55		35.90
Four-wheel drive-	:													
Total	:	17.83	24.81		30.17		24.51		16.71		27.12	65.92		18.19
Average 1/	:	49.75	44.14		58.18		40.67		20.58		39. 91	69.8 1		37.78
Track drive-	:													
Total	:	17.08	NA.		N/A		NA.		NA		92.76	9 .8 4		9.68
Average 1/	:	32.6 0	NA.		NA		NA.		,NA		92.17	11.78		27.45
Combination drive-	3/:													
Total	_ :	81.09	100.00		NA		NA		88. 19		NA.	27.04		98.25
Average 1/	:	85.54	75.07		NA.		NA.		88.17		NA.	30.52		86.44
lverage year	:													
of manufacture: 5/	:													
Two-wheel drive	:	1.24	1.67		1.44		.85		.98		1.00	1.42		.91
Four-wheel drive	:	.59	.49		.85		.78		.84		.62	1.22		.5
Track drive	:	.68	NA.		NA		NA.		NA		NA	1.33		1.00
Combination drive	:	NA.	NA.		N A		NA.		NA		NA	3.97		.8
lought new:	:													
Two-wheel drive	:	34.11	14.28		68.14		14.28		13.86		12.00	20.72		31.3
Four-wheel drive	:	17.03	28.08		26.05		18.69		10.07		16.01	69.64		22.2
Track drive	:	13.55	NA		NA		NA		NA		NA	11.16		12.1
Combination drive	:	NA	NA		NA		NA		NA		NA	21.00		1.0
	:													

NA = Not applicable.



^{1/} Mean per farm producing rice.
2/ Less than one-tenth.
3/ Combination track and wheel drive.
4/ Final two digits only.
5/ Mean per purchased combine.

Table 22—Rice buggies: Capacity and how propelled in rice production, 1984

	:M	lssissipp	l:	:		:	:	Texas	:	Texas	: :	
Item	:	River	: Northeast	:	Grand	: Southwest	;	Upper	:	Lower	:California :	United
	:	Delta	: Arkansas	•	Prairie	Louisiana	:	Coast	•	Coast	: :	States
	:		<u>:</u>	:		<u>: </u>	:		:		: _:	_
	:											
	:					Num	ber	<u>r</u>				
	ě											
Rice buggies:	:	0 /55										
Total	:	2,455	4,412		3 ,355	1,688		/45		839	1,217	14,709
Average 1/	:	1.2	1.6		1.5	1.4		1.8		2.1	1.3	1.5
	:					Hundre	фи	eight				
werage caracity 2/	:	117.9	100.1		119.5	101.1		114.2		127	136.6	112.5
	:					Per	ce	nt				
	:											
Rice buggles:	:	_										
Self-propelled	:	0	0		0	0		24		2	73	7
Pulled by tractor	:	100	106		100	100		76		98	27	93
	:				1	Coefficient	οf	variatio	1			
	:				-				=			
tice buggies:	:											
Total	:	16.19	33.90		44.07	10.70		10 .38		11.08	8.50	32.02
Average 1/	:	36.60	43.42		44.05	10.15		7.82		7.29	11.01	28.10
werage capacity 2/	:	6.72	11.61		4.11	5.32		46.99		12.56	4.03	10.34
tice buggies:												
Self-propelled	:	NA	NA.		NA.	NA.		19.27		66.23	6.17	33.80
Pulled by tractor	:	NA	NA.		NA.	NA.		6.73		.93	19.04	.26

NA = Not appliable.



^{1/} Mean per farm producing rice.2/ Mean per rice buggy.

Table 23—Trucks: Miles driven, age, and fuel type, by drive type on farms producing rice, 1984 $\underline{1}/$

- .	:Mississ		:	:	: Texas	: Texas	-	3
Item	Rive		 	: Southwest		. Lover	:California	United
	: Delta		: Prairie	Louisiana		COBBC	:	
	_ <u>:</u>	<u> </u>	<u> </u>	<u>:</u>	<u>: </u>	<u>: </u>	:	<u> </u>
	:			Nun	iber			
Trucks:	: :							
Pickup—	•							
Total	; 3,6	72 4,924	2 ,8 45	1,983	908	700	2 /61	17 500
Average 2/	: 1,0		1.2	1,503	2.2	789 2.0	2,461 2.7	17,512
Single-axle-	•	.0 1.0	1.2	1.0	2.2	2.0	2.7	1.7
Total	: 3,20	06 4,329	3,360	1,549	425	342	1 2/6	1/ /57
Average 2/	: 1.		1.5	1,549	1.0		1,246	14,457
Tanden-axle-	• •	.0 1.3	1.0	1.2	1.0	.9	1.3	1.
fotal	• 93	34 694	1,564	331	160	100	•	2 07/
Average 2/		.5 .2		.3	168	102	80	3,874
Send—	• •		.7	.3	.4	.3	.9	•
Total	• 20	95 592	305	97	En	20	60	1 50-
		.2 .2		87 •2	53	32	62	1,527
Average 2/	•	.2	.1	•4	.1	.1	•1	.2
	•			140	1			
	•			<u>m</u>	<u>les</u>			
Average use: 3/	:							
Pickup	: 18,57	77 10,966	12,411	14,433	13,788	15,909	7,286	13,207
Single-axle	: 6,18		2,554	3,161	5,579	2,527	6,080	3,434
Tandem-axle	: 3,28		1,246	3,816	4,601	3,667	5,913	2,487
Semi.	: 2,08		3,480	8,029	3,163	6,852	3,495	3,487
	:	-	•	•	-,	-,	٠,,,,	•,
	:			<u>Ye</u>	<u>ar 4/</u>			
Average year	:							
of manufacture: 3/	•							
Single-axle	• 7	4 70	66	71	71	68	67	70
Tanden-axle		72 72	73	74	70	72	60	70 72
Semi.		0 74	68	7 4 79	70 72	72 77	63	72 72
-	:	,,,	~	,,	12	//	ω	12
	:			<u>P</u>	ercent			
Trucks fueled by:								
Gasoline	•							
Single-axle	90.	4 89.4	95.4	99.6	07.0	00.0	0E 0	02.2
Tanden-ax.e	: 62.		88 . 0	77.9	97 . 9 53 . 4	98 . 0	85.9	92.3
Semi.	: 46.			0		95 . 6	19.6	80.4
L.P. ~ -	. 40.	.5 40.5	38.1	U	0	63.5	0	36.6
Sing _axle	: 2.	.9	0	0	^	^	3.0	
Tanden-axle	: 2.		0	0	0	0	1.3	1.0
Semi		0 0	0	€ 0	0	0	0	.4
		0	U	U	0	0	0	0
Dies - Sin de-axle	: : 6.	0 07		,	^ •	2.2		
			4.6	.4 22 1	2.1	2.0	12.7	6.7
Tanden-axle	: 35.		12.0	22.1	46.6	4.4	80.4	19.2
Send.	: 53.	7 59.5	61.9	100.0	100.0	36.5	100.0	63.4

See notes at and of table.



Table 23—Trucks: Miles driven, age, fuel type, by drive type on farms producing rice, 1984—Continued $\underline{1}'$

	:Mi.s	eissipp	i : :		: :	Texas	: Texas	:	
Item		River	: Northeast :	Grand	: Southwest :	Upper	: Lower	:California :	United
	:	<u>Delta</u>	: Arkansas :	<u>Prairie</u>	: Lordelana :	Coast	: Coast	: :	States
	<u>:</u>		<u>: :</u>		: :		:	<u>: :</u>	
	:				Coefficient	a£	l		
	:				Weilicienc	OT ANTINE	LOU		
Trucks:	:								
Pickup-	:								
Total	:	19.36	31.48	29.00	10.96	11.80	11.27	9.07	26.
Average 2/	:	30.16	37.85	32.08	8.63	9.71	9.43	8.91	28.
Single axle	:		5. 552	02000	0.00	74/1	7.43	0.71	۵۰.
Total	:	34.26	50.60	26.88	12.47	14.60	18.35	12.38	34.
Average 2/	:	19.40	55 .5 0	20.34	13.03	13.95	22.22	16.86	38.3
Tanden axle	:		33130	20134	20.00	13.75		10.00	
Total	:	27.51	27.58	49.96	23.89	21.54	31.47	36.21	44.
Average 2/	:	45.73	44.18	47.59	33.35	22.81	39.49	45.44	62.
Semi-	:						02012		-
Total	:	41.41	33.22	40.05	54.92	39.75	49.72	47.38	28.
Average 2/	:	59.43	74.03	62.78	67.42	44.21	58.85	50.88	44.
lverage use: 3/	:								
Pickup	:	14.23	11.07	10.76	6.82	7.25	8.74	9.77	7.
Single-axle	:	26.18	35,49	33.31	15.04	21.51	18.47	19.53	31.
Tanden-axle	:	13.65	.47	18.59	26.37	16.16	35.85	65.11	23.
Sem1	:	32.85	27.71	19.25	62.93	36.39	30.98	56.20	22.4
Average year	:								
of manufacture: 3/	:								
Single-axle	•	1.16	1.57	1.67	.98	1.35	1.49	1.56	1.0
Tanden axle		1.94	1.49	4.35	9.94	1.80	1.74	6.33	3.6
Semi.	:	4.04	2.37	2.74	52.39	2.05	•98	7.65	3.2
Trucks fueled by:	:								-
Gasoline-	ì								
Single-axle	:	4.68	7.15	2.02	.35	1.91	1.72	4.33	2.6
Tanden-axle	:	16.10	•65	9.80	12.41	15.78	4.20	55.71	5.5
Sent.	:	45.11	39 .08	52.53	NA.	NA.	34.76	NA.	27.6
L.P. gas	:						.		_, _,
Sinole-uxle	:	42.28	82.78	NA	NA.	NA	NA	95.19	47.
	•	w.w	nua.	NA	NA.	NA	NA	NA.	78.0
Semi.	:	NA	174	N/.	NA	NA	NA	NA.	1
Diesel—	:				*	-			•
Single-a.le	:	52.10	61.54	59.02	91.62	88.55	85. 19	28.57	46.3
Tonden-axie	:	29.04	92.10	71.93	43.81	18.11	91.28	13.59	58.2
Semi.	:	38.84	26.56	32.29	NA.	NA.	60.52	NA.	30.8



NA = Not applicable.

1/ All uses on farms producing rice

2/ Mean per farms producing rice.

3/ Mean per type of truck.

4/ Final two digits only.

Table 24-Type of dryer, percent moisture of rice, and cost of commercial drying in rice production, 1984

T *****	:Mississipp			-	: Texas	: Terrai	•	3
Iten	: River : Delta	: Northeast :		: Southwest : Louisiana		: Lower	:California	United States
	:	:	<u> </u>	_	:	:	•	<u> </u>
	:			Per	ment			
Rice dried: 1/	:							
Onfarm	: 24.3	28.2	12.4	30.2	21.8	9.1	17.9	22.1
Comercial).g	: 41.7	58.8	35.2	54.7	74.6	90.9	75 . 5	52.9
Sold green	: 34.0	13.0	52.4	15.1	3.6	0	6.7	25.0
arms with rice dried:								
Onfarm only	: 22.1	15.5	7.3	26. 7	16.5	6.6	13.0	16.9
Commercially only Both onfarm and	: 39.9	55.6	28.6	50.3	72.0	90.2	70.4	49.0
comercially	: 2.2	7.9	10.6	5.1	7.0	3.2	10.0	7.0
Sold green only	: 35.8	17.0	3. 5د'	17.8	4.5	0	6.7	27.0
werage moisture	: :							
content at harvest 2/	20.0	19.4	18.5	20.1	19.8	20.3	21.9	19.
	•			Cents per hu	ndredweight			
werage cost of	: :							
comercial drying 2/	: * *	52	57	'%	9/	78	64	69
	•			Crefficient	of variation	<u>1</u>		
Rice dried:	: :							
Onfarm	: 28 .7≀	31.87	43.14	18.37	19.85	36.62	21.62	29.35
Commercially	: 23.73	20.42	5.64د	10.98	5.26	3.65	6.05	27.82
Sold green	50.83	453	30.78	29.33	54.08	NA.	44.44	39.41
	:							
Onfarm only	· 34.58	63.43	76, يُر	21.04	25.5	45.19	28.28	49.56
Commercially Both onfarm a	27.80	15.77	€6.04	13.55	8.02	6.26	7 .39	34.88
commercially	: 56.99	72.33	75.71	46.32	40.29	65.84	33.09	55.62
Sold green orly	5,30	64.57	11.60	26.99	53.68	NA	44.52	39.83
werage moistum:	•							
content at harvest 2/	. 70	2.16	1.40	.7?	1.02	.77	1.25	1.33
werage cost of	:							
cornercial drying 2/	: 7.74	28.15	14.74	11.36	8.37	13.66	4.92	27.15



NA = Not applicable.

1/ Mean per ferm producing _ce.

2/ Mean per tarm producing _ce and reporting item.

Table 25-Type of fuel in onfame drying of rice, 1984

<u> </u>	:M	ississippi	L:	:		:	:	Texas	:	Texas	:	:	
Item	:	River	: Northeast	:	Grand	: Southwest	:	Upper	:	Lower	:Cal	ifornia:	United
	:	Delta	: Arikansas	:	Prairie	: Louisiana	:	Coast	:	Coast	:	:	States
	:		:	:		<u> </u>	:		:		:	:_	
	:	,											
	:					Per	rce	nt					
	:												
Dryers fueled by:	:												
Gasoline	:	0.8	2.0		0	0		0		0		0	0.9
Liquefied	:												
petroleum gas	:	82.1	32.7		63.3	36.1		25. 1		18.8	}	27.4	48.0
Diesel	:	.6	0		0	0		5.6		0		0	.3
Electricity	:	12.5	46.6		0	5.6		49.5		36.5	•	23.8	·.0
Natural gas	:	4.0	1.0		36.7	58.3		4.9		44.7	'	24.2	18.1
Natural air only	:	0	17.7		O	0		15.1		0		24.6	8.7
	:												
	:					Coefficient	t o	f variati	on				
	:					-		_					
Dryers fueled by:	:												
Gasoline	:	91.35	98.06		NA	NA		NA		N/A	1	NA.	97.53
Liquefied	:												
petroleum gas	:	10.29	33.21		25.46	28.54		40.42		82.90)	362	21.82
Diesel	:	88.01	NA		NA	NA.		88.11		NA.		NA	64.48
Electricity	:	69.37	24.73		NA.	94.81		23.60		51.23	}	42.03	28.41
Natural gas	:	37.83	63.56		43.84	18.20		87.46		41.44		37.43	43.12
Natural air only	:	NA	51.87		N A	N A		59.50		N/A	1	37.18	55.23
•	:												

NA = Not applicable.



Table 26 Means, distances, and costs of hauling rice to dryers, 1984

	:Mississippi	: :		: :	Texas	: Texas	:	
Item		: Northeast :		: Southwest :	Upper	: Lower	:California :	United
		Arkansas :		: Loudadana :	Coast	: Const	: :	
<u> </u>	•	<u> </u>	- ·	: :		:	: :	
	:			Perc	<u>ent</u>			
Rice dried onfarm:	:							
Hauled in own truck	: 98.0	91.7	100	93.8	69.1	81.2	85.0	93.0
Custom-hauled	: 2.0	8.3	0	6.2	30. 9	18.8	15.0	7.0
	:			MLL	es			
Average distance	:							
to dryer 1/	. 5.9	6.7	5.5	5.7	7.4	6.1.	7.3	6.2
• =	:	• • •					,	•
	:			Cents per hu	ndredweight	<u>t</u>		
Average cost of	:	20	***	•		_		_
custom hauling 1/	: 11	20	NA	26	23	D	66	26
	:			Perc	ent			
Rice dried in	:							
commercial dryer:	:							
Hauled in own truck Custom-hauled	: 76.3 : 23.7	99.7 .3	98.0 2.0	87.4	50.7	38.3	27.8	78.
VS/OBLIBITIO	: 25./	•3	2.0	12.6	49.3	61.2	72.2	21.5
	:			<u>M11</u>	<u>es</u>			
Average distance	:							
to dryer 1/	: 5.9	6.7	5.5	5.7	7.4	6.1	7.3	6.2
	•			Cents per hu	ndredweigh	t		
Average cost of	:					_		
custom hauling 1/	.11	.20	NA.	.26	.23	D	.66	.26
_	:			Coefficient	of wardette	·		
	:			weilicien:	OT AUTTUCE	41		
Rice dried onfarm:	:							
Hauled in own truck		6.90	NA	5.17	13.84	19.14	7.85	5.36
Custom hauled Average distance	52.33	75.98	NA.	78.61	30.92	82.80	44.34	81.02
to dryer 1/	22.90	16.04	41.76	26.94	14.86	21.21	24.97	16.8
Average cost of	:		.2070	20074	17100		~70//	10.0
custom hauling 1/	34.38	103.71	NA.	9.24	21.33	NA	56.82	28.63
Rice dried in commercial dryer:	:							
Hauled in own truck	11.48	•27	1.95	5.91	12.30	14.05	19.56	3.4
Custom hauled	: 36.93	98.29	98.01	40.98	12.63	8.90	7.51	48.87
Average distance	:							
to dryer 1/	26.24	14.61	10.61	11.51	8.18	7.88	12.99	15.05
Average cost of	1/ 20	e 11	174	17 /1	10.00	10.00	7.00	40.00
custom hauling 1/	: 14.29	6.44	NA.	17.41	13.26	12.83	7.90	12.20

NA = Not applicable.

^{1/} Mean per farm producing rice and reporting item.



D = Insufficient data for disclosure.

Table 27-Rice production costs and returns, 1984

	:Missias	dppd:	:	:	: Texas	: Texas	:	
Item	: Rive	r : Northeast	: Grand	: Southwest	: Upper	Lower	:Cali .omia	United
	: Delt	a : Arkansas	: Prairie	: Louisiana		Const		States
	:	<u> </u>	:	:	:	:	•	
	:				- 1			
	:			Dollars	per acre			
Cash receipts 1/	: 344.7	73 375 .7 9	389.68	323.59	376.51	466.12	534.86	393.22
Cash expenses	: 303.9	3 285.61	297.32	314.76	390. 97	462.53	474.72	345.08
Variable expenses	: 235.6		218.47	248.12	318.79	373.90	288.29	255.13
Seed	: 23.4		24.10	24.21	25.75	26.50	26.56	25.51
Fertilizer	: 39.6		31.00	39.84	39.11	41.36	37 .3 8	35.61
Chemicals	: 12.8		.35	7.04	.38	2.91		
Custom operations	: 49.3		44.68	36.31	66.21		6.00	5.51
Fuel, lube, and	• 47.3	2 34.43	44.00	30.31	00.21	76.25	58.34	47.92
electricity	: 43.9	8 46.33	46.10	17.13	46.33	52 .5 6	26.82	38.72
Repairs	: 22.0	30.08	39.00	22.46	23.35	32.56	34.65	28.23
Hired labor	: 12.6		14.13	15.80	13.79	15.99	19.39	15.90
Purchased water	: 0	0	0	47.32	54.46	71.65	24.83	20.45
Drying	: 26.1	-	14.20	37.09	45.03	46.50	46.04	32.04
Technical services			4.91	.92	4.38	7.62	8.28	5.24
Fixed expenses	: 68.2		78.85	66.65	72.18	88.63		
Farm overhead	: 16.3		18.71	16.56			186.43	89.95
Taxes and	: 10.5	7 17.40	10.71	10.50	19.97	24.13	55 .16	23.67
insurance	: 10.3	3 10.84	12.62	8.03	9.57	12.97	22.28	12.26
Interest 2/	: 41.5		47.5?	42.06	42.64	51.53	108.99	54.02
Receipts less	:	44.37	4/ 6.3 .	42.00	42.04	21.35	100.33	34.02
cash expenses	: 40.8	0 89.98	92.36	8.83	-14.46	3.59	60.14	48 14
Capital replacement	: 45.1		K1.22	39.25	34.22	64.63	62.22	49.71
leceipts less	:	2 20.50	\ . <u></u>	37.23	34.22	٠,٠٠	02.22	47./1
cash expenses	•							
and replacement	: -4.3	36. 42	28.15	-21.42	40 60	61.06	2.00	1 57
ам гергассиять	: -4.3	30.42	ر. ا	-21.42	-48.68	-61.04	-2.08	-1.57
Conomic costs 3/	: 393.7	3 416.64	448.11	412.72	451.20	567. 93	594.39	454.70
Variable expenses	: 235.6	5 212.90	218.47	248.12	318.79	373.90	288.29	255.13
Farm overhead	: 16.3	7 17.48	18.71	16.56	19.97	24.13	55.16	23.67
Taxes and	:						33 123	23.07
insurance	: 10.3	3 10.84	12.62	8.03	9.57	12.97	22.28	ي. 26
Capital replacement	: 45.1		64.21	30.25	34.22	64.63	62.22	49.71
Return to operating	:		*	7772	J.11222	01.00	02102	47072
capital 4/	: 6.8	0 6.58	7.73	6.48	10.99	10.99	10.05	7.89
Return to other	:		, ., .	V. 1 0	10.77	10.77	10.03	7.03
nonland capital 5/	: 10.0	3 10.39	12.76	6.80	7.48	11.82	12.22	10.12
Net land rent 6/	47.9		89.54	69.8 9	26.70	42.25	111.15	68.86
Unpaid labor	: 21.5		24.07	26.90	23.48			
esidual return to		<i>-</i>	24.07	20.70	40،40	27.24	33.02	27.07
management and risk 7/	': -49.0	Λ	_50 /2	00.12	7/ (0	10- 0-	FO -0	
mon-silventaric region is the contract of the	-49.0	0 -41.05	-58.43	-69. 13	-74.69	-101 .8 1	-59.53	-61.48



Harvest-period price times yield (app. table 2).

Actual expenditure in 1984 attributed to rice production.

Full-ownership costs, excludes interest payments.

Variable spense items multiplied by part of year used and the 6-month U.S. Treasury bill rate.

Value of machinery and equipment multiplied by longrum rate of return to production assets in farm sector.

Of total acres rented, percentage of cash and share rented acres multiplied by average cash and share resc.

Total economic costs less cash receipts.

Region and State	: County/CRD
Mississippi River Delta:	:
Arkansas	: Crittenden
	: Mississippi
	: Phillips
	: CRD 4
	: ORD 5
	: ORD 7
	: Clark
	: CRD 9
Louisiana	: Catahoula
	: Concordia
	: ORD 2
	: QRD 3
	: ORD 4
Mississippi	: QRD 1
	Panola
	: ORD 4
Missouri	Butler
	Stodiard
	· Stokeny
Northeast Arkensas	· Cross
Not the section of th	
	: Lee
	: Monroe
	St. Francis
	: Woodruff
	CRD 3, excep: Mississipp:
Grand Prairie of Arkansas	: Arkansas
	: Lonoke
	: Prairie
Court To 1	:
Southwest Louisians	: QRD 1
	CRD 5, except Catahoula and Concordia
	: ORD 7
	: ORD 8
	:
Upper Coast of Texas	: Brazoria
	: Chambers
	: Pt. Bend
	Galveston
	: Harris
	: Jefferson
	: Liberty
	: Orange
	: ORD 5N
	: ORD 5S, except Waller
	•
Lower Coast of Texas	: Waller
	: CRD 8N
	: Calhoun
	: Jackson
	: Matagorda
	: Victoria
	: Wharton
	:
California	: ORD 50
	: ORD 51



Appendix table 2-Harvest-month price and yield for rice, 1984

Item	:Misc¹ssippi: : kiver : Northeast		: Gra	nd : So	uthwest:			Texas Lower	: :California	United	
	:	Delta	: Arkansas			uisiana :	Coast	:	Coast	:	: States
	Dollars per hundredweight										
Harvest-month price of rice	:	8.03	8.19	8	3.19	7.82	8.60		3.60	7. 63	8.05
	Hundredweicht per acre										
Yield	:	42. 93	45.86	47	. .58	4 .36	43.78		54.20	70.10	48.87